


Chip tantalum capacitors (Fail-safe open structure type)

TCFG Series B Case


● Features

- 1) Safety design by open function built in.
- 2) Wide capacitance range
- 3) Screening by thermal shock.

●Dimensions (Unit: mm)



● Product No. Explanation



- 1 Series name
- 2 Case code
- (3) Rated voltage

Rated voltage (V)	2.5	4	6.3	10	16	20	25
CODE	0E	0G	0J	1A	1C	1D	1E

4 Capacitance

Nominal capacitance in pF in 3 digits: 2 significant figure representing the number of 0's.

5 Capacitance tolerance

M: ±20%

- 6 Taping
 - 8 : Reel width (8mm)
 - R : Positive electrode on the side opposite to sprocket hole

●Capacitance range

(μF)	Rated voltage (V.DC)										
(μι)	2.5	4	6.3	10	16	20	25				
3.3 (335)					В	В *	В				
4.7 (475)				В	В	В	В				
6.8 (685)				В	В	B *					
10 (106)			В	В	В	B *					
15 (156)		В	В	В	В						
22 (226)		В	В	В	В						
33 (336)		В	В	В	В						
47 (476)		В	В	В							
68 (686)		В	В	В							
100 (107)		В	В	В							
150 (157)		В	В	В							
220 (227)	В	В	В								
330 (337)	B *	B *									

Remark) Case size codes (B) in the above show each size products line-up.

●Marking


The indications listed below should be given on the surface of a capacitor.

- Polarity : The polarity should be shown by □ bar. (on the anode side)
 Rated DC voltage : Due to the small size of A case, a voltage code is used as shown below.
- 3 Nominal capacitance

[B Case]

note 1) Visual typical example (1) voltage code (2) capacitance code

10 16V (2) (1)



note 2) voltage code and capacitance code are variable with parts number

^{*:} Under development

TCFG Series B Case Data Sheet

Characteristics

Item	Performance							(bas	ed	or	ı JI		st co 510				IS C	5101	-3)				
Operating Tem	perature	-5	5 °C	to +	125 °	°C					Vol	tage r	redi	uct	ion	whe	en tei	mp	era	ture	exce	eds +	85°C
Maximum operatir with no voltage de		+85	5 °C																				
Rated Voltage	(V.DC)	2.5	4	6.3	10	10	6 20	25	1		at 8	35°C											
Category Volta	ge (V.DC)	1.6	2.5	4	6.3	10	0 13	16	1		at '	125°C	2										
Surge Voltage			5.0	8	13	2		32			_	35°C											
DC leakage cu	rrent						vhichev ard list"		s g	reater	As	per 4 per 4 Itage	4.5.	.1 ,	JIS	C 5	5101	1-3		min			
Capacitance to	lerance	Sha ±20		e sati	sfied	all	lowand	e rai	nge) .	As Me Me	per 4 per 4 asurin asurin asurin	4.5. ig fr ig v	.2 eq olta	JIS uen age	C 5	5101 12 : 0.	1-3 20: .5V	±12l /rms	s, +1	I.5V. ent s		circuit
Tangent of loss (Df, tanδ)	s angle	Sha	all be	e sati	sfied	th	e volta	ge o	n "	Standard list"	As Me Me	per 4 per 4 asurin asurin asurin	4.5. ig fr ig v	.3 eq olta	JIS uen age	C 5	5101 12 : 0.	1-3 20: .5\	±12l /rms	s, +1	I.5V.		circuit
Impedance		Sha	all be	e sati	sfied	th	e volta	ge o	n "	Standard list"	As As Me Me	per 4 per 4 asurin asuri asuri	4.10 4.5. ng f ing	0 J .4 . rec	JIS JIS quei	C 5 ncy ge	101- 5101 : 100 : 0.5	-1 1-3 0±	10kl	Hz or le	ess		circuit
Resistance to	Appearance									normality.		per 4											
soldering heat	L.C	TCI TCI TCI TCI	The indications should be clear. TCFGB0G227MBR: Less than 150% of initial limit TCFGB0J227MBR: Less than 150% of initial limit TCFGB1A157MBR: Less than 150% of initial limit TCFGB1A107MBR: Less than 150% of initial limit TCFGB1E475MBR: Less than 150% of initial limit TCFGB1E475MBR: Less than 150% of initial limit Others: Less than initial limit						As per 4.6 JIS C 5101-3 Dip in the solder bath Solder temp : 260±5°C Duration : 5±0.5s Repetition : 1 After the specimens, leave it at room temperatur for over 24h and then measure the sample.				ature										
	$ \begin{array}{lll} TCFGB0G227M8R: Within \pm 15\% \ of initial value \\ TCFGB0J227M8R: Within \pm 15\% \ of initial value \\ TCFGB1A157M8R: Within \pm 15\% \ of initial value \\ TCFGB1A1707M8R: Within \pm 15\% \ of initial value \\ TCFGB1E475M8R: Within \pm 10\% \ of initial value \\ Others: Within \pm 5\% \ of initial value \\ \end{array} $					TOT																	
	tanδ	3.3 to 33µF 47 to 150µF 17CFGB0E227M8R 1 Less than 150% of initial limit 17CFGB0E227M8R 1 Less than 200% of initial limit 17CFGB0J227M8R 1 Less than 150% of initial limit 17CFGB1A157M8R 1 Less than 150% of initial limit 17CFGB1A107M8R 1 Less than 150% of initial limit 17CFGB1C336M8R 1 Less than 150% of initial limit 17CFGB1C336M8R 1 Less than 150% of initial limit																					
Fail-Safe open	unit actuation	Wit	thin 3	320°	C – 2	20:	s				Dip	in th						°C					
Temperature	Appearance	The	ere s	houle	d be i	no	signific	cant	ab	normality.	As	per 4											
cycle	L.C	TCI TCI TCI	TCFGB0G227M8R: Less than 150% of initial limit TCFGB0J227M8R: Less than 200% of initial limit TCFGB1A157M8R: Less than 200% of initial limit TCFGB1A107M8R: Less than 200% of initial limit TCFGB1E475M8R: Less than 150% of initial limit TCFGB1E475M8R: Less than 150% of initial limit				of initial limit of initial limit of initial limit of initial limit	As per 4.10 JIS C 5101-3 Repetition : 5 cycles (1 cycle : steps 1 to 4) without discontinuation. Step Temp. Time)										
	ΔC / C	Oth)E227			_ess tha Within :			f initial value	1	2	+			±3°		2) <u>+</u> 3n		-	
		TCI	FGB)G22	7M8R	۱: ۱	Within :	±15%	% of	f initial value f initial value		3	+	_		n tei ±2°	mp. ℃	3		1. or)±3n	less	1	
		TCI	FGB1	1A157	M8R	۱:۱	Within :	±20%	% of	f initial value		4					mp.	3			less		
	tanδ	TCFGB1A107M8R: Within ±20% of initial value 3.3 to 33µF: Less than initial limit 47 to 150µF: Less than 150% of initial limit TCFGB0G227M8R: Less than 150% of initial limit TCFGB1A157M8R: Less than 200% of initial limit TCFGB1A167M8R: Less than 200% of initial limit TCFGB1A167M8R: Less than 200% of initial limit TCFGB1A107M8R: Less than 200% of initial limit TCFGB1C336M8R: Less than 200% of initial limit TCFGB1C336M8R: Less than 150% of initial limit						f initial value I limit % of initial limit		er the											ature		
Moisture resistance	Appearance						significuld be			normality.	As per 4.22 JIS C 5101-1 As per 4.12 JIS C 5101-3												
	TCI TCI TCI	TCFGB0G227M8R: Less than 150% of initial limit TCFGB0J227M8R: Less than 200% of initial limit TCFGB1A157M8R: Less than 200% of initial limit TCFGB1A107M8R: Less than 200% of initial limit TCFGB1E475M8R: Less than 150% of initial limit Others: Less than initial limit					of initial limit of initial limit of initial limit of initial limit	After leaving the sample under such atmospheric condition that the temperature and humidity are 60±2°C and 90 to 95%RH, respectively, for 500±12h level it at room temperature for over 24l and then measure the sample.					y are r										
	ΔC / C	TCI TCI TCI Oth	FGB(FGB1 FGB1 iers)J227 1A157 1A107	M8R M8R	: \ ! : ! ! : !	Within : Within : Within : Within :	±20% ±20% ±20% ±10%	% of % of % of % of	f initial value f initial value f initial value f initial value f initial value													
	tanδ	47 f TCI TCI TCI	FGB0 FGB1 FGB1	0μF 0G227 0J227 1A157	M8R M8R M8R	:	Less th Less th Less th	ian 19 ian 19 ian 20 ian 20 ian 20	50% 50% 200% 200%	I limit % of initial limit													

Item		Performance	Test conditions (based on JIS C5101-1 and JIS C5101-3)					
Temperature Stability	Temp.	_55°C	As per 4.29 JIS C 5101-1					
Stability	ΔC / C	TCFGB0G227M8R: Within 0/-15% of initial value TCFGB0J227M8R: Within 0/-30% of initial value TCFGB1A157M8R: Within 0/-30% of initial value TCFGB1A107M8R: Within 0/-30% of initial value Others: Within 0/-12% of initial value	As per 4.13 JIS C 5101-3					
	tanδ	Shall be satisfied the value on Table5						
	L.C	_						
	Temp.	+85°C	-					
	ΔC / C	TCFGB0G227M8R: Within +12/0% of initial value TCFGB0J227M8R: Within +15/0% of initial value TCFGB1A157M8R: Within +15/0% of initial value TCFGB1A107M8R: Within +15/0% of initial value Others: Within +10/0% of initial value						
	tanδ	Shall be satisfied the value on Table5	-					
	L.C	Less than 1000% of intial limit	-					
	Temp.	+125°C						
	ΔC / C	TCFGB0J227M8R: Within +20/0% of initial value TCFGB1A157M8R: Within +20/0% of initial value TCFGB1A107M8R: Within +20/0% of initial value TCFGB1C336M8R: Within +20/0% of initial value Others: Within +15/0% of initial value						
	tanδ	Shall be satisfied the value on Table5						
	L.C	Less than 1250% of initial limit						
Surge Voltage	Appearance	There should be no significant abnormality. The indications should be clear.	As per 4.26 JIS C 5101-1					
	L.C	TCFGB0G227M8R: Less than 150% of initial limit TCFGB0J227M8R: Less than 200% of initial limit TCFGB1A157M8R: Less than 200% of initial limit TCFGB1A107M8R: Less than 200% of initial limit TCFGB1E475M8R: Less than 150% of initial limit Others: Less than initial limit	 As per 4.14 JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ every 5±0.5min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. 					
	ΔC / C	TCFGB0E227M8R: Within ±12% of initial value TCFGB0G227M8R: Within ±15% of initial value TCFGB0J227M8R: Within ±20% of initial value TCFGB1A157M8R: Within ±20% of initial value TCFGB1A107M8R: Within ±20% of initial value Others: Within ±10% of initial value	After the specimens, leave it at room temperatur for over 24h and then measure the sample.					
	tanδ	$\begin{array}{llllllllllllllllllllllllllllllllllll$						
Loading at High	Appearance	The indications should be clear.	As per 4.23 JIS C 5101-1 As per 4.15 JIS C 5101-3					
temperature	L.C	TCFGB0E227M8R : Less than 125% of initial limit TCFGB0G227M8R : Less than 150% of initial limit TCFGB0J227M8R : Less than 200% of initial limit TCFGB1A157M8R : Less than 200% of initial limit TCFGB1A107M8R : Less than 200% of initial limit TCFGB1E475M8R : Less than 150% of initial limit Others : Less than initial limit	After applying the rated voltage for 2000+72/0 without discontinuation via the serial resistanc of 3Ω or less at a temperature of $85\pm2^{\circ}\text{C}$, leav the sample at room temperature/humidity for 1 to 2h and measure the value. After the specimens, leave it at room temperature					
	ΔC / C	TCFGB0G227M8R: Within ±15% of initial value TCFGB0J227M8R: Within ±20% of initial value TCFGB1A157M8R: Within ±20% of initial value TCFGB1A107M8R: Within ±20% of initial value Others: Within ±10% of initial value	for over 24h and then measure the sample.					
	tanδ	$\begin{array}{llllllllllllllllllllllllllllllllllll$						

TCFG Series B Case Data Sheet

Item		Performance	Test conditions (based on JIS C5101-1 and JIS C5101-3)			
Terminal Strength Capacitance		The measured value should be stable. There should be no significant abnormality.	As per 4.35 JIS C 5101-1 As per 4.9 JIS C 5101-3 A force is applied to the terminal until it bends to 1mm and by a prescribed tool maintain the condition for 5s. (See the figure below.) (Unit: mm) F (Apply force) Thickness 1.6mm			
Adhesiveness		The terminal should not come off.	As per 4.34 JIS C 5101-1 As per 4.8 JIS C 5101-3 Apply force of 5N in the two directions shown in the figure below for 10±1s after mounting the terminal on a circuit board. product Apply force a circuit board			
Dimension	าร	Be based on "External dimensions"	Measure using a caliper of JIS B 7505 Class 2 or higher grade.			
Resistanc	e to solvents	The indication should be clear.	As per 4.32 JIS C 5101-1 As per 4.18 JIS C 5101-3 Dip in the isopropyl alcohol for 30±5s, at room temperature.			
Solderabil	erability 3/4 or more surface area of the solder coated terminal dipped in the soldering bath should be covered with the new solder.		As per 4.15.2 JIS C 5101-1 As per 4.7 JIS C 5101-3 Dip speed = 25±2.5mm/s Pre-treatment (accelerated aging): Leave the sample on the boiling distilled water for 1h. Solder temp.: 245±5°C Duration: 3±0.5s Solder: M705 Flux: Rosin 25%, IPA 75%			
Vibration Capacitance Appearance		Measure value should not fluctuate during the measurement. There should be no significant abnormality.	As per 4.17 JIS C 5101-1 Frequency: 10 to 55 to 10Hz/min. Amplitude: 1.5mm Time: 2h each in X and Y directions Mounting: The terminal is soldered on a print circuit board.			

TCFG Series B Case Data Sheet


●Standard list, TCFG series B Cases

Part No.	Rated Voltage @85°C (V)	Derated Voltage @ 125°C (V)	Surge Voltage @85°C (V)	Capacitance 120Hz (µF)	Tolerance (%)	Leakage current 25°C 1WV.60s	_55°C	F 120h (%) 25°C	Hz 125°C	Impedance 100kHz (Ω)	Case
TOFO D OF 007 MOD	` ′	. ,	. ,	" /	.00	(μA)		85°C		` ′	
TCFG B 0E 227 M8R	2.5	1.6	3.2	220	±20	5.5	34	18	22	1.5	В
TCFG B 0G 156 M8R	4	2.5	5	15	±20	0.6	12	8	10	3.0	В
TCFG B 0G 226 M8R	4	2.5	5	22	±20	0.9	12	8	10	3.0	В
TCFG B 0G 336 M8R	4	2.5	5	33	±20	1.3	12	8	10	2.5	B
TCFG B 0G 476 M8R	4	2.5	5	47	±20	1.9	14	10	12	2.0	В
TCFG B 0G 686 M8R	4	2.5	5	68	±20	2.7	14	10	12	1.9	В
TCFG B 0G 107 M8R	4	2.5	5	100	±20	4.0	30	12	16	1.6	В
TCFG B 0G 157 M8R	4	2.5	5	150	±20	6.3	34	18	22	1.3	В
TCFG B 0G 227 M8R	4	2.5	5	220	±20	8.8	40	20	30	1.3	В
TCFG B 0J 106 M8R	6.3	4	8	10	±20	0.6	12	8	10	3.0	В
TCFG B 0J 156 M8R	6.3	4	8	15	±20	0.9	12	8	10	3.0	В
TCFG B 0J 226 M8R	6.3	4	8	22	±20	1.4	12	8	10	2.5	В
TCFG B 0J 336 M8R	6.3	4	8	33	±20	2.1	12	8	10	2.0	В
TCFG B 0J 476 M8R	6.3	4	8	47	±20	3.0	14	10	12	1.9	В
TCFG B 0J 686 M8R	6.3	4	8	68	±20	4.3	30	12	16	1.6	В
TCFG B 0J 107 M8R	6.3	4	8	100	±20	6.3	30	12	16	1.5	В
TCFG B 0J 157 M8R	6.3	4	8	150	±20	9.5	34	18	22	1.5	В
TCFG B 0J 227 M8R	6.3	4	8	220	±20	70	60	30	45	1.3	В
TCFG B 1A 475 M8R	10	6.3	13	4.7	±20	0.5	10	6	8	3.0	В
TCFG B 1A 685 M8R	10	6.3	13	6.8	±20	0.7	12	8	10	3.0	В
TCFG B 1A 106 M8R	10	6.3	13	10	±20	1.0	12	8	10	3.0	В
TCFG B 1A 156 M8R	10	6.3	13	15	±20	1.5	12	8	10	2.5	В
TCFG B 1A 226 M8R	10	6.3	13	22	±20	2.2	12	8	10	2.0	В
TCFG B 1A 336 M8R	10	6.3	13	33	±20	3.3	14	10	12	1.9	В
TCFG B 1A 476 M8R	10	6.3	13	47	±20	4.7	14	10	12	1.6	В
TCFG B 1A 686 M8R	10	6.3	13	68	±20	6.8	22	12	14	1.5	В
TCFG B 1A 107 M8R	10	6.3	13	100	±20	20	40	20	30	1.5	В
TCFG B 1C 335 M8R	16	10	20	3.3	±20	0.5	10	6	8	4.2	В
TCFG B 1C 475 M8R	16	10	20	4.7	±20	0.8	10	6	8	3.0	В
TCFG B 1C 685 M8R	16	10	20	6.8	±20	1.1	10	6	8	3.0	В
TCFG B 1C 106 M8R	16	10	20	10	±20	1.6	10	6	8	2.5	В
TCFG B 1C 156 M8R	16	10	20	15	±20	2.4	10	6	8	2.0	В
TCFG B 1C 226 M8R	16	10	20	22	±20	3.5	10	6	8	1.9	В
TCFG B 1C 336 M8R	16	10	20	33	±20	5.3	16	14	16	1.9	В
TCFG B 1D 335 M8R	20	13	26	3.3	±20	0.66	10	6	8	4.2	В
* TCFG B 1D 475 M8R	20	13	26	4.7	±20	1.0	10	6	8	3.0	В
* TCFG B 1D 106 M8R	20	13	26	10	±20	2.0	12	8	10	15.0	В
TCFG B 1E 335 M8R	25	16	32	3.3	±20	0.83	10	6	8	4.2	В
TCFG B 1E 475 M8R	25	16	32	4.7	±20	1.2	10	6	8	3.0	В
* - Under development		.0								0.0	

^{* =} Under development


Packaging specifications

				(OIIIL . IIIIII)
Case code	A±0.1	B±0.1	t1±0.05	t2±0.1
B (3528)	3.3	3.8	0.25	2.2



●Packaging style

Case code	Packaging	Packag	ing style	Symbol	Basic ordering unit		
B Case	Taping	Plastic taping	φ180mm reel	8R	2,000		



Notes

No copying or reproduction of this document, in part or in whole, is permitted without the consent of ROHM Co.,Ltd.

The content specified herein is subject to change for improvement without notice.

The content specified herein is for the purpose of introducing ROHM's products (hereinafter "Products"). If you wish to use any such Product, please be sure to refer to the specifications, which can be obtained from ROHM upon request.

Examples of application circuits, circuit constants and any other information contained herein illustrate the standard usage and operations of the Products. The peripheral conditions must be taken into account when designing circuits for mass production.

Great care was taken in ensuring the accuracy of the information specified in this document. However, should you incur any damage arising from any inaccuracy or misprint of such information, ROHM shall bear no responsibility for such damage.

The technical information specified herein is intended only to show the typical functions of and examples of application circuits for the Products. ROHM does not grant you, explicitly or implicitly, any license to use or exercise intellectual property or other rights held by ROHM and other parties. ROHM shall bear no responsibility whatsoever for any dispute arising from the use of such technical information.

The Products specified in this document are intended to be used with general-use electronic equipment or devices (such as audio visual equipment, office-automation equipment, communication devices, electronic appliances and amusement devices).

The Products specified in this document are not designed to be radiation tolerant.

While ROHM always makes efforts to enhance the quality and reliability of its Products, a Product may fail or malfunction for a variety of reasons.

Please be sure to implement in your equipment using the Products safety measures to guard against the possibility of physical injury, fire or any other damage caused in the event of the failure of any Product, such as derating, redundancy, fire control and fail-safe designs. ROHM shall bear no responsibility whatsoever for your use of any Product outside of the prescribed scope or not in accordance with the instruction manual.

The Products are not designed or manufactured to be used with any equipment, device or system which requires an extremely high level of reliability the failure or malfunction of which may result in a direct threat to human life or create a risk of human injury (such as a medical instrument, transportation equipment, aerospace machinery, nuclear-reactor controller, fuel-controller or other safety device). ROHM shall bear no responsibility in any way for use of any of the Products for the above special purposes. If a Product is intended to be used for any such special purpose, please contact a ROHM sales representative before purchasing.

If you intend to export or ship overseas any Product or technology specified herein that may be controlled under the Foreign Exchange and the Foreign Trade Law, you will be required to obtain a license or permit under the Law.



Thank you for your accessing to ROHM product informations. More detail product informations and catalogs are available, please contact us.

ROHM Customer Support System

http://www.rohm.com/contact/