




# GaAs MMIC I/Q MIXER 3 - 7 GHz

### **Typical Applications**

The HMC620 is ideal for:

- Point-to-Point Radios
- Point-to-Multi-Point Radios
- WiMAX & Fixed Wireless
- VSAT

#### **Functional Diagram**



#### Features

Wide IF Bandwidth: DC - 3.5 GHz High Image Rejection: 33 dB High LO to RF Isolation: 45 dB High Input IP3: +23 dB Die Size: 1.49 x 1.15 x 0.10 mm

#### **General Description**

The HMC620 is a compact I/Q MMIC mixer which can be used as either an Image Reject Mixer (IRM) or a Single Sideband Upconverter. The chip utilizes two standard Hittite double balanced mixer cells and a 90 degree hybrid fabricated in a GaAs MESFET process. All data shown below is taken with the chip mounted in a 50 Ohm test fixture and includes the effects of 1 mil diameter x 20 mil length bond wires on each port. A low frequency quadrature hybrid was used to produce a 100 MHz upper side band (USB) IF output. This product is a much smaller and more consistent alternative to hybrid style Image Reject Mixers and Single Sideband Upconverter assemblies.

#### Electrical Specifications, $T_A = +25^{\circ}$ C, IF= 100 MHz, LO = +15 dBm\*

Parameter	Min.	Тур.	Max.	Min.	Тур.	Max.	Units
Frequency Range, RF/LO	3.0 - 7.0			4.5 - 6.5			GHz
Frequency Range, IF	DC - 3.5			DC - 3.5			GHz
Conversion Loss (As IRM)		7.5	8.5		7.5	9	dB
Image Rejection	25	28		31	33		dB
1 dB Compression (Input)		+13			+13		dBm
LO to RF Isolation	35	45		35	45		dB
LO to IF Isolation	35	40		35	40		dB
IP3 (Input)		23			23		dBm
Amplitude Balance		0.1			0.2		dB
Phase Balance		3			3		Deg


\* Unless otherwise noted, all measurements performed as downconverter.






# GaAs MMIC I/Q MIXER 3 - 7 GHz

#### Data taken As IRM With External IF 90° Hybrid



Conversion Gain vs. LO Drive



Input P1dB vs. Temperature







Image Rejection vs. Temperature



#### Return Loss



#### Input IP3 vs. LO Drive




3




**HMC620** 


# GaAs MMIC I/Q MIXER 3 - 7 GHz



Amplitude Balance vs. LO Drive




**Upconverter Performance Conversion** Gain vs. LO Drive




\* Conversion gain data taken with external IF 90° hybrid

0 -5 RESPONSE (dB) -10 -15 CONVERSION RETURN LOSS -20 \_ \_ -25 -30 0.5 2.5 3 3.5 1 1.5 2



**Upconverter Performance Sideband Rejection vs. LO Drive** 



3

IF FREQUENCY (GHz) Phase Balance vs. LO Drive 10

IF Bandwidth\*



# **HMC620**

# GaAs MMIC I/Q MIXER 3 - 7 GHz

#### Harmonics of LO

	nLO Spur at RF Port				
LO Freq. (GHz)	1	2	3	4	
2.5	29	35	48	30	
3	26	33	51	39	
4	28	32	39	43	
5	28	36	45	52	
6	36	44	60	41	
7	40	36	58	34	
8	46	37	55	46	
LO = +15 dBm					

Values in dBc below input LO level measured at RF Port.

#### Absolute Maximum Ratings

RF / IF Input	+20 dBm	
LO Drive	+27 dBm	
Channel Temperature	150 °C	
Continuous Pdiss (T=85°C) (derate 14.2 mW/°C above 85°C)	925 mW	
Thermal Resistance (R <sub>TH</sub> ) (channel to die bottom)	70.2 °C/W	
Storage Temperature	-65 to +150 °C	
Operating Temperature	-55 to +85 °C	

#### **MxN Spurious Outputs**

	nLO				
mRF	0	1	2	3	4
0	хх	1	15	28	69
1	15	0	30	39	50
2	69	67	78	60	71
3	95	95	95	73	95
4	95	95	95	95	95

RF = 5.6 GHz @ -10 dBm

LO = 5.5 GHz @ +15 dBm

Data taken without IF 90° hybrid

All values in dBc with reference to output power at IF= 100 MHz

# ELECTROSTATIC SENSITIVE DEVICE **OBSERVE HANDLING PRECAUTIONS**

#### Die Packaging Information<sup>[1]</sup>

Standard	Alternate
WP-3 (Waffle Pack)	[2]

[1] Refer to the "Packaging Information" section for die packaging dimensions.

[2] For alternate packaging information contact Hittite Microwave Corporation.

NOTES:

3

#### 2. DIE THICKNESS IS .004" 3. TYPICAL BOND PAD IS .004" SQUARE 4. BACKSIDE METALIZATION: GOLD .0355" .0060" 5 BOND PAD METALIZATION: GOLD [0.153] [0.901] 6. BACKSIDE METAL IS GROUND 7. CONNECTION NOT REQUIRED FOR UNLABELED BOND PADS. 8. OVERALL DIE SIZE ±.002" 2 3 $\bigcirc$ IF1 .0059" 1F2 .01 15" [0.150] [0.292] 4 .0059" LO [0.150] .0059' [0.150] 1 $\bigcirc$ $\bigcirc$ RF .0059 [0.150] .0207" .0453" [1.150] [0.525] .0115' [0.291] IF2 $\bigcirc$ 5 6 .0051' [0.131] .0356" .0059" .0059" .0014" .0049' [0.036] [0.125] [0.904] [0.150] [0.150] .0587' [1.490]

For price, delivery, and to place orders, please contact Hittite Microwave Corporation: 20 Alpha Road, Chelmsford, MA 01824 Phone: 978-250-3343 Fax: 978-250-3373 Order On-line at www.hittite.com

# **Outline Drawing**




**HMC620** 

# GaAs MMIC I/Q MIXER 3 - 7 GHz

### **Pad Descriptions**

Pad Number	Function	Description	Interface Schematic
1	RF	This pad is DC coupled and matched to 50 Ohms.	
2 (5)	IF2	This pad is DC coupled. For applications not requir- ing operation to DC, this port should be DC blocked externally using a series capacitor whose value has been chosen to pass the necessary IF frequency	
3 (6)	IF1	range. For operation to DC, this pad must not source/sink more than 3mA of current or die non- function and possible die failure will result. Pads 5 and 6 are alternate IF ports.	
4	LO	This pad is DC coupled and matched to 50 Ohms.	
	GND	The backside of the die must be connected to RF/DC ground.	

## Assembly Diagrams



For price, delivery, and to place orders, please contact Hittite Microwave Corporation: 20 Alpha Road, Chelmsford, MA 01824 Phone: 978-250-3343 Fax: 978-250-3373 Order On-line at www.hittite.com



## GaAs MMIC I/Q MIXER 3 - 7 GHz

# Mounting & Bonding Techniques for Millimeterwave GaAs MMICs

The die should be attached directly to the ground plane eutectically or with conductive epoxy (see HMC general Handling, Mounting, Bonding Note).

50 Ohm Microstrip transmission lines on 0.127mm (5 mil) thick alumina thin film substrates are recommended for bringing RF to and from the chip (Figure 1). If 0.254mm (10 mil) thick alumina thin film substrates must be used, the die should be raised 0.150mm (6 mils) so that the surface of the die is coplanar with the surface of the substrate. One way to accomplish this is to attach the 0.102mm (4 mil) thick die to a 0.150mm (6 mil) thick molybdenum heat spreader (moly-tab) which is then attached to the ground plane (Figure 2).

Microstrip substrates should be brought as close to the die as possible in order to minimize bond wire length. Typical die-to-substrate spacing is 0.076mm (3 mils).

#### Handling Precautions

Follow these precautions to avoid permanent damage.

**Storage:** All bare die are placed in either Waffle or Gel based ESD protective containers, and then sealed in an ESD protective bag for shipment. Once the sealed ESD protective bag has been opened, all die should be stored in a dry nitrogen environment.

**Cleanliness:** Handle the chips in a clean environment. DO NOT attempt to clean the chip using liquid cleaning systems.

Static Sensitivity: Follow ESD precautions to protect against ESD strikes.

**Transients:** Suppress instrument and bias supply transients while bias is applied. Use shielded signal and bias cables to minimize inductive pick-up.

**General Handling:** Handle the chip along the edges with a vacuum collet or with a sharp pair of bent tweezers. The surface of the chip has fragile air bridges and should not be touched with vacuum collet, tweezers, or fingers.



The chip is back-metallized and can be die mounted with AuSn eutectic preforms or with electrically conductive epoxy. The mounting surface should be clean and flat.

**Eutectic Die Attach:** A 80/20 gold tin preform is recommended with a work surface temperature of 255 °C and a tool temperature of 265 °C. When hot 90/10 nitrogen/hydrogen gas is applied, tool tip temperature should be 290 °C. DO NOT expose the chip to a temperature greater than 320 °C for more than 20 seconds. No more than 3 seconds of scrubbing should be required for attachment.

**Epoxy Die Attach:** Apply a minimum amount of epoxy to the mounting surface so that a thin epoxy fillet is observed around the perimeter of the chip once it is placed into position. Cure epoxy per the manufacturer's schedule.

#### Wire Bonding

Ball or wedge bond with 0.025 mm (1 mil) diameter pure gold wire is recommended. Thermosonic wirebonding with a nominal stage temperature of 150 °C and a ball bonding force of 40 to 50 grams or wedge bonding force of 18 to 22 grams is recommended. Use the minimum level of ultrasonic energy to achieve reliable wirebonds. Wirebonds should be started on the chip and terminated on the package or substrate. All bonds should be as short as possible <0.31 mm (12 mils).



