## ASPI-0530LR





#### > FEATURES:

- High saturation current.
- Low loss due to low DC resistance.
- Frequency application up to 3MHz.
- Low profile with max thickness 3.0mm.
- •100% lead free and meeted RoHS standard.
- Suitable for reflow soldering.
- High reliable SMD package

#### > APPLICATIONS

- DC/DC converters in Notebook, Netbook, desktop and server
- Low profile, high current power supplies.

#### STANDARD SPECIFICATIONS

	Abracon P/N:	ASPI-0530LR Series			
I	Operating Temperature & Humidity:	-55°C to +125°C (Including self generated heat)			
I	Storage Temperature & Humidity:	+25°C to +35°C, 45% to 85% RH			

Part Number	Inductance	Tolerance	DCR Typ	DCR Max	Saturation Current	Temperature Rise Current
Units	μН	%	m $\Omega$	m $\Omega$	A	A
Symbol	L	M			Isat	Irms
ASPI-0530LR-1R5	1.5	M	18.5	20.0	7.0	8.0
ASPI-0530LR-2R2	2.2	M	24.0	26.0	5.5	7.0
ASPI-0530LR-3R3	3.3	M	32.0	36.0	5.0	6.5
ASPI-0530LR-4R7	4.7	M	54.0	60.0	4.5	4.5
ASPI-0530LR-5R6	5.6	M	55.0	65.0	4.0	4.5


#### **Test Conditions**

Inductance is measured in HP-4284A Precision LCR Meter.

RDC is measured in HP-4338B milli ohm meter.(or equivalent).

Isat: Based on inductance change ( $\Delta L/Lo : \le -20\%$ ) Irms: Based on temperature rise ( $\Delta T : 40^{\circ}C$  TYP.)

### ELECTRICAL CHARACTERISTIC CURVES








ASPI-0530LR





## **ELECTRICAL CHARACTERISTIC CURVES**






ASPI-0530LR







## ELECTRICAL CHARACTERISTIC CURVES



## PART NUMBER IDENTIFICATION



### **OUTLINE DRAWING:**








ASPI-0530LR






#### TAPE & REEL:



### **REFLOW PROFILE:**



**ATTENTION:** Abracon Corporation's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon Corporation is required. Please contact Abracon Corporation for more information.



