# MICROPROCESSOR AT49 4 PADS SMD CRYSTAL

# **ABSM3A**





### > FEATURES:

- Excellent all-purpose surface-mount crystal.
- Four pad land pattern compatible with common plastic molded designs.

### > APPLICATIONS:


- Home electronics
- Computers, modems, and communications
- Clock applications
- Microprocessors

# **STANDARD SPECIFICATIONS:**

PARAMETERS	
ABRACON P/N:	ABSM3A Series
Frequency:	3.579545 MHz to 54 MHz
Operation mode:	AT-strip ( see options) 3.579545 MHz - 30.00 MHz (Fundamental AT) 40.00 MHz - 54.00 MHz (3rd OT AT) 30 MHz - 48.00 MHz (Fundamendal BT)
Operating temperature:	- 10°C to + 60°C (see options)
Storage temperature:	- 40°C to + 85° C
Frequency tolerance:	± 50 ppm max. (see options)
Frequency stability over:	± 100 ppm max. (see options)
Equivalent series resistance (max.):	See Table 1
Shunt capacitance C0:	7.0pF max.
Load capacitance CL:	18.0pF (see option)
Drive level:	100mW max., 100μW correlation
Aging (per year) @ 25° C:	± 5 ppm max.
Insulation resistance:	500 MΩmin. at 100 Vdc ± 15 Vdc

# Table 1 Standard ESR Frequency (MHz) ESR(Ω) max. 3.579545 - 3.999 180 4.000 - 4.999 150 5.000 - 6.999 100 7.000 - 14.999 50 15.000 - 50.0 (fund) 40 28.01 - 60.0 (3rd overtone) 100

# > OPTIONS & PART IDENTIFICATION:








# MICROPROCESSOR AT49 4 PADS SMD CRYSTAL







## **OUTLINE DRAWING:**



# 0.10 (2.5)(3.2) 0.10


Part No	H (max.)
ABSM3A	0.20 (5.1)
ABSM32A	0.18 (4.5)
ABSM33A	0.15 (3.8)

**Dimensions: Inches (mm)** 

# > TAPE & REEL:

# T= tape and reel (1,000pcs/reel) FEEDING (PULL) DIRECTION $2.0 \pm 0.1$ 4.0±0.1 $24.0 \pm 0.3$ ø1.5 $5.1 \pm 0.1$ 12±0.1 ø13.0±0.5 2.2±0.5 ø21±1 **Dimensions: mm**

### **REFLOW PROFILE**



ATTENTION: Abracon Corporation's products are COTS - Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon Corporation is required. Please contact Abracon Corporation for more information.



