4 GHz Active Probes

P7240 • P6209 Datasheet



Features & Benefits

- <120 ps Rise Time (Guaranteed)</p>
- 4 GHz Bandwidth
- <0.5 pF Input Capacitance (P6241 Only)
- Small Form Factor Probe Head
- 8 V_{p-p} Dynamic Range (P6241 Only)
- Direct Access to SMDs

- Oscilloscopes Supported:
 - P7240 TDS/CSA7000 Series
 - P6209 CSA/TDS8000, TDS800 Series
- Probe Interfaces:
 - P7240 TekConnect™ Interface
 - P6209 TekProbe SMA Interface

Applications

- High-speed Digital Systems Design
- Component Design/Characterization
- Signal Integrity, Jitter and Timing Analysis
- Manufacturing Engineering and Test
- Signals with Voltage Swings up to 8 V_{p-p}
- Measures 3.0 V Logic, InfiniBand, PCI Express, DDR, Rambus Data Lines, Gigabit Ethernet

Selecting the right probe for your application is key to attaining the best signal fidelity in your measurements. Active probes provide truer signal reproduction and fidelity for high-frequency measurements. Tektronix provides you a wide range of 4 GHz active probes to select from for your application.

Performance You Can Count On

Depend on Tektronix to provide you with performance you can count on. In addition to industry-leading service and support, this product comes backed by a three-year warranty as standard.





TekConnect™ Interface - P7240

The P7240 with TekConnect interface is a high-performance active probe with high bandwidth and low-capacitive loading to make it the probe of choice for demanding design applications, such as Rambus, DDR DRAM and AGP. This probe and others in the family are also suited for applications in the communication industry, for measurements on Fibre Channel and Gigabit Ethernet. With the TekConnect interface, you can be assured that maximum signal integrity is maintained to meet present and future bandwidth needs.

SMA Interface/Sampling Oscilloscopes – P6209

The P6209 provides a high-bandwidth, low circuit loading probing solution for the CSA/TDS8000B sampling oscilloscopes with TekProbe SMA input connection. Based on the P6249 probe design, the P6209 has similar performance and a similar small probe head for access to today's fine-pitch SMDs and connection points.

Characteristics

Model

Characteristic	P7240	P6209	
Rise Time	<120 ps	<120 ps	
Bandwidth	4.0 GHz	4.0 GHz	
Attenuation	5X	5X	
DC Resistance	20 kΩ	20 kΩ	
Input Capacitance	<1 pF	<1 pF	
Dynamic Range	±2 V	±2 V	
Offset Range	±5 V	±5 V	
Interface	TekConnect™	TekProbe SMA	

Ordering Information

P7240

4.0 GHz Active Probe.

P6209

4.0 GHz Active Probe.

Warranty - Three years.

User Manuals -

P7240: Order 071-0759-xx. P6209: Order 071-0634-xx.

Included Accessories

Product Name/Description	Part Number	Quantity	
Customizable Ground Lead (Set of 5)	196-3482-00	1	
Lead Set: 196343700 (3) 196345700 (2)	196-3456-00	1	
Adapter Spring (Set of 10)	016-1774-00	1	
SMT KlipChip™ Adapter	206-0364-01	2	
Pogo Pin (Set of 10)	016-1772-xx	1	
Square Pin Socket (Set of 10)	016-1773-xx	1	
Square Pin Adapter (Set of 4)			
Probe Tip (Set of 30)	131-5638-30	1	
Color Coding Bands, 2 Each of 5 Colors	016-1315-00	1	
Probe Carrying Case	016-1879-01	1	
Accessory Case	016-7164-00	1	
Wrist Strap	006-3415-04	1	
SureToe™ (Set of 12)	ST501 (Replacement Pkg of 12)	1	

Recommended Accessories

Product Name/Description	Part Number	Quantity
SMK4 – IC Grabber (Set of 2)	013-0309-00	1
SureFoot®, 50 mil (Set of 12)	SF501	1
SureFoot, 25 mil (Set of 12)	SF502	1
SureFoot, 0.5 mil (Set of 12)	SF503	1

Support Options

Opt. C3 - Calibration Service 3 Years.

Opt. C5 - Calibration Service 5 Years.

Opt. D1 - Calibration Data Report.

Opt. D3 - Calibration Data Report 3 Years (with Opt. C3).

Opt. D5 - Calibration Data Report 5 Years (with Opt. C5).

Opt. R5 - Repair Service 5 Years.


Opt. SILV900 - Standard Warranty Extended to 5 Years (P7240 Only).

Tektronix P7240 / P6249 / P6209 Part Reorder 1-800-835-3553



Tektronix

P6241 Probe Accessory Reorder List
To reorder parts, visit www.tektronix.com/accessories or call 1–800–833–9200 (USA)
Outside USA contact your local Tektronix representative





Tektronix is registered to ISO 9001 and ISO 14001 by SRI Quality System Registrar.

Datasheet Contact Tektronix:

ASEAN / Australasia (65) 6356 3900

Austria 00800 2255 4835*

Balkans, Israel, South Africa and other ISE Countries +41 52 675 3777

Belgium 00800 2255 4835*

Brazil +55 (11) 3759 7627

Canada 1 800 833 9200

Central East Europe and the Baltics +41 52 675 3777

Central Europe & Greece +41 52 675 3777

Denmark +45 80 88 1401

Finland +41 52 675 3777

France 00800 2255 4835*

Germany 00800 2255 4835*

Hong Kong 400 820 5835

India 000 800 650 1835

Italy 00800 2255 4835*

Japan 81 (3) 6714 3010

Luxembourg +41 52 675 3777

Mexico, Central/South America & Caribbean 52 (55) 56 04 50 90

Middle East, Asia, and North Africa +41 52 675 3777

The Netherlands 00800 2255 4835*

Norway 800 16098

People's Republic of China 400 820 5835

Poland +41 52 675 3777

Portugal 80 08 12370

Republic of Korea 001 800 8255 2835

Russia & CIS +7 (495) 7484900

South Africa +41 52 675 3777

Spain 00800 2255 4835*

Sweden 00800 2255 4835*

Switzerland 00800 2255 4835*

Taiwan 886 (2) 2722 9622

United Kingdom & Ireland 00800 2255 4835*

USA 1 800 833 9200

* European toll-free number. If not accessible, call: +41 52 675 3777

Updated 10 February 2011

For Further Information. Tektronix maintains a comprehensive, constantly expanding collection of application notes, technical briefs and other resources to help engineers working on the cutting edge of technology. Please visit www.tektronix.com



Copyright © Tektronix, Inc. All rights reserved. Tektronix products are covered by U.S. and foreign patents, issued and pending. Information in this publication supersedes that in all previously published material. Specification and price change privileges reserved. TEKTRONIX and TEK are registered trademarks of Tektronix, Inc. All other trade names referenced are the service marks, trademarks, or registered trademarks of their respective companies.

26 Jul 2012 51W-26152-3

www.tektronix.com

