# **Compact Slip Rings 1002010-100 Series Datasheet**



### **Description**

Aeroflex Airflyte has developed a standard line of compact slip ring assemblies that can be used for the transmission of low level signals up to 2 amperes per circuit. These capsules feature gold alloy contacts, precision ball bearings, #26 AWG Teflon insulated lead wires, and are cast in a durable high tech plastic. Each circuit has redundant contacts that ride in V-grooved rings. This design provides the lowest electrical noise in its class. These smooth running units operate with a very minimal amount of torque and are an excellent choice for transmitting electrical signals through a rotating joint.

#### **Features**

- Transfers power, analog, digital and video signals
- Up to 40 circuits
- Compact size
- Electrical Noise < 30 milliohm at max speed
- Speeds up to 250 rpm
- Gold on gold contacts
- Precision ball bearings
- RoHS Compliant
- Made in USA

### **Typical Applications**

- CCTV pan / tilt camera mounts
- Security cameras
- Robotic systems
- Medical equipment
- Electrical test equipment
- Manufacturing equipment





# Compact Slip Rings 1002010-100 Series Datasheet



## **Specifications**

Number of Circuits	6, 12, 18, 24, 36 or 40	
Current Rating	2 Amps per ring maximum	
Voltage	Micro-volts to 210 VDC / 240 VAC	
Dielectric Strength	500 VRMS, all combinations	
Insulation Resistance	1000 megaohms min. @ 250 VDC	
Electrical Noise	30 milliohms maximum	
Lead Wire	#26 AWG, Teflon insulated, stranded conductor	
Lead Wire Length	12"	
Operating Speed	0 to 250 rpm	
Contacts	Gold on Gold	
Rotation	Bi-directional	
Temperature Range	-40°C to +80°C	





## **Ordering Information**

Part Number	"L" DIM	RING QTY
1002010-106	0.52	6
1002010-112	0.76	12
1002010-118	1.00	18
1002010-124	1.24	24
1002010-136	1.72	36
1002010-140	1.88	40

#### **Aeroflex Airflyte**

3030 Horseshoe Drive South, Naples, FL 34104

Tel: (239) 263-3102 Fax: (239) 261-3110

Aeroflex Airflyte reserves the right to make changes to any products and services herein at any time without notice. Consult Aeroflex or an authorized sales representative to verify that the information in this data sheet is current before using this product. Aeroflex does not assume any responsibility or liability arising out of the application or use of any product or service described herein, except as expressly agreed to in writing by Aeroflex; nor does the purchase, lease or use of a product or service from Aeroflex convey a license under any patent rights, copyrights, trademark rights, or any other of the intellectual rights of Aeroflex or of third parties.

Copyright 2011 Aeroflex Airflyte All rights reserved Rev A