

TOR			
PART No	T80-26 AL 46		
SIZE (OD/ID/Ht)	20.2/12.6/6.35		
COATING	NA		
MATERIAL	IRON POWDER		
K VALUE	NA		
Cu Wire			
PART No	COP229 weight		
	9g		
SIZE (Dia)	0.4		
COATING	SOL 2		
COAT MATERIAL	NA		
Winding			
No Turns	295		
No Layers	CONTINOUS		
No Strands	ONE		
Direction	AS PER Sketch		

1	\bigcirc
1	 \subseteq

TEST	Nom	Tolerance	Min	Max
Inductance (r	mH)4.0	+20/-20%	3.2	4.8
Res (Ohm)	1.9	+15/-15%	0.765	1.035
Hi Pot (V AC	D) NA			



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ALPHA 3 MANUFACTURING.

ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF

DEM Manufacturing, Deltron Emcon House Hargreaves Way, Sawcliffe Ind. Park,

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETRES LINEAR TOLERANCE: NO DECIMAL PLACES ±0.5mm

1 DECIMAL PLACE ±0.25mm 2 DECIMAL PLACES ±0.125mm ANGULAR TOLERANCE: ±1°

THAIST	-	SHARP EDG		
	-			
IF IN DOUBT ASK				
DO NO	OT SCALE DRAWING			
MATERIAL	SEE NOTE			

DRAWN BY	SPB
APPROVED BY	SW
THIRD ANGLE PROJECTION	SHEET 1 OF 1
	SCALE 1:1
	A4

PROCUREMENT SPECIFICATION
ASSEMBLY FOR
CHKSF1121 02

SF1121-CHK

Release