



## Features

- Current rating up to 2.7 A
- Inductance range: 35 to 1000  $\mu$ H
- Frequency range to 250 MHz
- RoHS compliant\*

## Applications

- EMI suppression



# SRF1306 Series - Line Filter

### Electrical Specifications @ 25 °C


Part Number	L ( $\mu$ H) *	Leakage Ind. ( $\mu$ H) Max.	DCR ( $\Omega$ ) max. (each winding)	Rated Voltage (Vdc)	Rated Current (A)	Impedance (Z)		Electrical Schematic
						Freq. Range (MHz)	Min. Value ( $\Omega$ )	
SRF1306-350Y	35 $\pm$ 35 %	4	0.035	50	2.70	5 - 250	400	B
SRF1306-600Y	60 $\pm$ 35 %	5	0.065	50	2.00	5 - 100	600	B
SRF1306-101Y	100 $\pm$ 35 %	15	0.100	50	0.70	1 - 50	300	A
SRF1306-251Y	250 $\pm$ 35 %	25	0.150	50	0.60	1 - 40	600	A
SRF1306-501Y	500 $\pm$ 35 %	35	0.300	50	0.40	1 - 40	1200	A
SRF1306-102Y	1000 $\pm$ 35 %	45	0.400	50	0.35	0.5 - 10	2200	A

\* Test condition: 0.1 V, 100 KHz


### Schematics




### How to Order



### Recommended Layout



### Typical Part Marking



### General Specifications




Temperature Rise .. 45 °C at rated current  
 Hi-Pot ..... 500 Vrms, 60 Hz,  
 3 mA, 1 minute

Operating Temperature  
 ..... -40 °C to +105 °C  
 (Temperature rise included)  
 Storage Temperature .. -40 °C to +105 °C  
 Solderability ..... 245 °C for 5 sec.  
 (JEDEC J-STD-020D)

### Materials

Core Material ..... Ferrite  
 Base ..... LCP  
 Wire ..... Enameled copper  
 Terminal coating ..... Sn  
 Packaging ..... 600 pcs. per 13-inch reel

### Product Dimensions



DIMENSIONS:  $\frac{\text{MM}}{\text{INCHES}}$



#### Asia-Pacific:

Tel: +886-2 2562-4117  
 Fax: +886-2 2562-4116

#### Europe:

Tel: +41-41 768 5555  
 Fax: +41-41 768 5510

#### The Americas:

Tel: +1-951 781-5500  
 Fax: +1-951 781-5700

[www.bourns.com](http://www.bourns.com)

\*RoHS Directive 2002/95/EC Jan 27 2003 including Annex.


Specifications are subject to change without notice.

Customers should verify actual device performance in their specific applications


# SRF1306 Series - Line Filter

**BOURNS®**


## Impedance Graph



MEASURING CIRCUIT



## Packaging Specifications



REV. 09/09

Specifications are subject to change without notice.

Customers should verify actual device performance in their specific applications