

INSTALLATION AND OPERATION MANUAL

EZ-ADA4 Model numbers: EZ-ADA4 includes power supply with North American plug EZ-ADA4X includes worldwide power supply (specify plug)

Stereo Audio Distribution Amplifier



RDL EZ Series products provide the highest level of value to A/V professionals and A/V users who demand professional quality. For long-term performance, quality and value, you have made the EZ choice. EZ products are made in the USA by RDL, the inventor of application-specific modules bringing decades of experience as the world's leading manufacturer of high-reliability performance products to the AV industry. Visit the RDL website for hundreds of professional AV products made in the USA by RDL.



www.rdlnet.com

Decades of Performance, Quality and Value

RDL • 659 N. 6th Street • Prescott, AZ • USA 86301 • Sales: 800-281-2683 • 928-443-9391 Tech Support: 800-933-1780 • 928-778-3554 • RDL Europe Sales & Support: (31) 20-6238-983


EZ-ADA4


Stereo Audio Distribution Amplifier

- One Stereo Input to Four Stereo Outputs
- Unbalanced Inputs on MINI or RCA Jacks
- · Unbalanced Outputs on RCA Jacks
- Inputs and Outputs on Rear Panel
- Front-Panel LEVEL Control
- Dual-LED VU Meter for Each Channel

The EZ-ADA4 is a stereo audio distribution amplifier with gain adjustment and audio level metering. The input is connected through RCA jacks or a MINI jack. A front-panel knob adjusts for high or low input levels. Left and right channel LED VU metering facilitates proper level adjustment. Four stereo outputs are provided on RCA jacks. The EZ-ADA4 is used in stores, houses of worship, restaurants, clubs, security systems and commercial A/V systems.

TYPICAL APPLICATION Headphones Power Amp Headphone Amp Power Amp MP3 Player EZ-ADA4 www.rdlnet.com • • • www.rdlez.com





SELECTED MOUNTING ACCESSORIES Complete accessory listing available at: rdlez.com

EZ-RA6

Rack Adapter for 6 Increments of 1/6 Rack Width



EZ-CC6

Component Chassis for 6 Increments of 1/6 Rack Width



EZ-SMB2

Surface Mount Bezel for 1/3 Rack Width Products



EZ-UCB2

Under-Counter Brackets 1/6 or 1/3 Rack Width



EZ-DC2

Desktop Chassis 1/3 Rack Width



EZ-SD2

Storage Drawer 1/3 Rack Width Mounts in EZ-CC6 and EZ-RA6





TYPICAL PERFORMANCE

Inputs (2): Stereo on dual RCA jacks or stereo mini jack, > 10 k Ω , -10 dBV nominal, +22 dBV max. Level control: Off to 12 dB gain above nominal Outputs (4): Stereo on dual RCA jacks, -10 dBV nominal, +16 dBV max. Frequency Response: 10 Hz to 20 kHz (\pm 0.01 dB) THD+N: <0.03%; Crosstalk: <-80 dB (1 kHz) Metering: Dual-LED VI Meter for Left and Right, calibrated to -10 dBV output Noise: <-85 dB (below -10 dBV output) 24 Vdc power supply current: 20 mA (idle), 60 mA (max.) Power supply input voltage: 10 to 240 VAC Warranty: 3 Years; contact RDL technical support department for assistance Case dimensions: 5.75" (14.6 cm)W x 3" (7.6 cm)D Mounting size: 1/3 rack width