



JKL LAMP NUMBER	VOLTS RATED	AMPS ±10%	MSCP ±25%	LUMENS ±25%	AVERAGE LIFE HRS.	FILAMENT TYPE
2	5.0	.021	.034	0.43	10,000	C-2R
6803	5.0	.060	.030	0.38	100,000	C-2R
6833	5.0	.060	.050	0.63	100,000	C-2R
7133	5.0	.075	.090	1.13	25,000	C-2R
7153	5.0	.115	.150	1.89	40,000	C-2R
BW79	6.0	.065	.110	1.40	10,000	C-2R

NOTES:

- GLASS ENVELOPE TO BE TIPLESS AND SEAMLESS CONSTRUCTION TO PROVIDE UNDISTORTED END VIEWING.
- WIRE TERMINALS TO BE TINNED DUMET TYPE WIRE. OPTIONAL PLATING MATERIALS ARE AVAILABLE.
- ALL LAMPS TO BE 100% AGED FOR AN EQUIVALENT OF TEN HOURS OF THE RATED VOLTAGES.
- FINAL INSPECTION ON ALL LAMPS TO BE PER MIL. STD. 105D TO AN AQL OF 2.5.
NOTE: AS15 TYPE LAMPS WILL BE 100% INSPECTED FOR AMPERAGE AND MSCP RATINGS.
- ALL DIMENSIONS PROVIDED HEREIN, NOT LISTING TOLERANCES, ARE CONSIDERED REFERENCE DIMENSIONS ONLY.

METRIC 			DIMENSIONS ARE IN MILLIMETERS TOLERANCE UNLESS OTHERWISE SPECIFIED 1 PL +/- 0.2 2 PL +/- 0 ANGLE +/- 0			JKL COMPONENTS CORPORATION									
C LEAD DIA. CHNG TO Ø0.2 REF. 02/08/00 B CORRECTION ON REV. LAMP LIST 01/28/00 A DRAWING CONVERTED TO CAD-LAMPS 7100, 8534, BW23,6153, 8666, 7102 DELETED 01/17/00 RELEASED 12/84			THIRD ANGLE PROJECTION DRAWN BY L. WENGSTROM APPVD BY DATE BW 02/08/00			TITLE T-3/4 STANDARD WIRE TERMINAL LAMP									
REV. NO. DESCRIPTION/ECO NUMBER APPVD DATE			- CAD DRAWING - MANUAL REVISIONS NOT PERMITTED			SIZE A	FSCM NO. 55335	DRAWING NO. WIRE TERMINAL T-3/4			SCALE NONE	RELEASED DATE 12/84	REVISION DATE 02/08/00	REV. NO. C	SHEET 1 of 1