




DESCRIPTION: HIGH DENSITY MALE - VERTICAL DIP - LOW PROFILE - STAMPED

44 PIN SHOWN



4 ROWS


| No. OF PINS | DIMENSIONS | | | |
|-------------|------------|-------|-------|-------|
| | A | B | C | D |
| 15 | 1.214 | 0.984 | 0.405 | 0.090 |
| | 30.80 | 24.99 | 10.29 | 2.29 |
| 26 | 1.545 | 1.312 | 0.765 | 0.090 |
| | 39.24 | 33.32 | 19.43 | 2.29 |
| 44 | 2.088 | 1.852 | 1.305 | 0.090 |
| | 53.04 | 47.04 | 33.15 | 2.29 |
| 62 | 2.730 | 2.500 | 1.948 | 0.095 |
| | 69.34 | 63.50 | 49.47 | 2.41 |
| 78 | 2.635 | 2.406 | 1.805 | 0.095 |
| | 66.93 | 61.11 | 45.85 | 2.41 |

MATERIAL:

- SHELL: STEEL, NICKEL PLATED
- INSULATOR: PBT, UL 94V-O RATED, 230°C PROCESS TEMP CHEMICAL RESISTANCE, BLACK
- CONTACT: BRASS, GOLD FLASH ENTIRE CONTACT

ELECTRICAL:






- CURRENT RATING: 2 AMPS
- WITHSTANDING VOLTAGE: 1,000VAC AT SEA LEVEL
- CONTACT RESISTANCE: 10 mOhms Max.
- INSULATION RESISTANCE: 5,000 MOhms min.
- VOLTAGE: 500VAC FOR 1 MINUTE
- TEMPERATURE: -55° C TO +125° C



DO NOT SCALE FROM DRAWING

| | | | | |
|------------------|---|--------------------------------|----------------------------------|--------------------------|
| | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OF SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | | DRAWN: PAM JENKINS | DATE: 09-12-05 |
| | | | CHECKED: | DATE: |
| <h1>NorComp</h1> | | SCALE: 1 : 1 | SHEET 1 OF 3 | REV 4 |
| | | DWG NO. 195-YYY-113LYY1 | | |

RoHS COMPLIANT




HIGH DENSITY VERTICAL

* TYP. ON ALL SIZES


DO NOT SCALE FROM DRAWING

| | | | | |
|----------------|---|----------------------------|------------------------|-----------------------|
| | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OF SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | | DRAWN: C. SMITH | DATE: 03-09-06 |
| | | | CHECKED: | DATE: |
| NorComp | SCALE: FULL | SHEET 2 OF 3 | REV 4 | |
| | DWG NO. | | 195-YYY-113LYY1 | |


55X 0.158" (BOARD SIDE)



03X 0.158" (BOARD SIDE) - 0.230" MATING SIDE



DO NOT SCALE FROM DRAWING

| | | | | |
|--|---|--------------------------------|----------------------------|--------------------------|
|  | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OF SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | | DRAWN: C. SMITH | DATE: 12-21-09 |
| | | | CHECKED: | DATE: |
| <h1>NorComp</h1> | | SCALE: | SHEET 3 OF 3 | REV 4 |
| | | DWG NO. 195-YYY-113LYY1 | | |

RoHS COMPLIANT