

SPECIFICATION

- Part No. : **OMB.242.08F21**
- Product Name : **Barracuda - Omni-Directional Outdoor Antenna
2.4 - 2.5 GHz 8dBi**
- Dimensions : Length 523mm
- Features : Excellent Radiation Patterns
Lightweight
All weather operation – DC short lightning protection
Installed for vertical polarization
Includes tilt and swivel mast mount
RoHS Compliant



1. Introduction

This antenna is professionally designed with the highest industrial quality. The antenna base is aluminum and resists rust. The products have good water resistance.

Great care has been taken in the manufacture and assembly of the internal copper elements so they can bear a high input power.

Applications

- 2.4 - 2.5 GHz ISM Band
- IEEE 802.11b, 802.11g, 802.11n Wireless LAN
- Directional and multipoint applications
- Bluetooth
- Public Wireless Hotspot
- Wi-Fi, RFID
- Wireless Video Systems

2. Antenna Performance

2.1 Electrical Specifications

1	Communication System	ISM
2	Frequency Band	2400 MHz - 2500 MHz
3	Bandwidth	100MHz
4	Gain	8.0 dBi
5	Impedance	50 Ohm
6	Polarization	Vertical
7	Max Power Handling	50W
8	VSWR	≤ 1.3
9	Vertical Beamwidth	12°
10	Horizontal Beamwidth	360°


2.2 Mechanical Specifications

1	Connector	1 x N Type Female
2	Connector Location	Bottom
3	Dimensions (L*W*D)	Length 523mm, Diameter 70mm
4	Radome Diameter	24mm
5	Weight (& Mounting Bracket max)	380g
6	Internal Material	Copper
7	Radome Material	White Fiberglass
6	Mounting Options	U-Bolt(Stainless steel)
	Mounting	32-45mm Stainless Steel U-Type Screw


2.3 Environmental Ratings

1	Lightening Protection	DC Grounded
2	Temperature	-40°C to +80°C
3	Wind Survival	>150mph


3. Return Loss



4. VSWR





5. Smith Chart





6. Radiation Patterns




Vertical
E-plane co-pol ----- 3-dB beam-with=15 Deg



Horizontal
H-plane co-pol ----- 3-dB beam-width=360 Deg




7. Mechanical Drawing



	Name	Material	Finish	QTY
1	OMB.242 Antenna	Glass Fiber	White	1
2	Cover	ABS	Silver	1
3	Holder	Aluminum	Silver	1
4	N Type(F)	Brass	Ni Plated	1
5	M6 U Type Screw	Stainless Steel	Silver	1
6	M6 Washer	Stainless Steel	Silver	2
7	M6 Nut	Stainless Steel	Silver	2

7.1 Connector Drawing



8. Antenna Installation Guide

