

# **Specification**

Spec No. : **FXP270** 

Part No. : **FXP270.07.0100A** 

Model : 784MHz ISM Band Flex Circuit Antenna

Features : 75\*45\*0.1mm

100mm Ø1.13 Cable

**RoHS** ✓



VERSION	DATE	PAGE	DESCRIPTION	CENTRE	APPROVED
A	09/21/2009	All	Antenna Specifications	Taiwan	Ruben F. Cuadras



#### I. OVERVIEW

The Taoglas FXP270 784 MHz ISM Band Antenna covers from 779-787 MHz used in the 784 MHz ISM (Industrial Scientific Medical) Chinese Band. The antenna has been designed in a flexible material with a square form-factor and cable connection for an easy installation. The antenna works on different plastic materials and thickness. We have selected a piece of ABS with 2 mm of thickness as a baseline for testing.

#### II. ANTENNA CHARACTERISTICS

Parameter	Specification		
Frequency Range	779MHz to 787MHz		
Return Loss (dB)	-20		
Efficiency (%)	40		
Gain (dBi)	1.4		
Impedance	50 Ω		
VSWR	≤2:1		
Polarization	Linear		
Power Handled	5W		
Operation Temperature	-40℃ ~ +85℃		
Storage Temperature	-40℃ ~ +85℃		
Dimensions	75*45*0.1mm		
Weight	1.5g		
Connector	MHFII (U.FL Compatible)		
Cable Standard	Mini-Coax 1.13 mm		
Cable Length and color	100mm, Black		
RoHS Compliant	Yes		
Adhesive	3M 467		



# III. TEST SET UP

## An ETS-Lindgren 3D Scan System with Anechoic Chamber




Figure 1. ETS-Lindgren System.

# Rhode & Schwartz ZVL6 Vector Network Analyzer




Figure 2. Network Analyzer.



#### IV. ANTENNA PARAMETERS

The next antenna parameter graphs like Return Loss, VSWR and smith chart were measured in the Agilent Rhode & Schwartz ZVL6 Vector Network Analyzer. The Gain, Efficiency and Radiation Patterns were measured in the ETS-Lindgren 3D Scan System.

#### A. Return Loss Data




Figure 3. Return Loss for the FXP270 Antenna.

#### **B. VSWR Data**




Figure 4. VSWR for the FXP270 Antenna.



## C. Smith Chart Data




Figure 5. Smith Chart for the FXP270 Antenna.

# **D. Efficiency Data**




Figure 6. Efficiency for the FXP270 Antenna.



## E. Gain Data




Figure 7. Gain for the FXP270 Antenna.

# F. Radiation Pattern Data.




Figure 8. Radiation pattern 3D View, Figure 1 as reference (dB).






Figure 9. Radiation pattern YZ Plane, Figure 1 as reference (dB).




Figure 10. Radiation pattern XY plane, Figure 1 as reference (dB).






Figure 11. Radiation pattern XY plane, Figure 1 as reference (dB).