



- NOTES:
1. MATERIAL: NYLON 6/6 UL 94 V-2 (RMS-047), COLOR: NATURAL
  2. SPRING MATERIAL: 304 STAINLES STEEL (RMS-381)
  3. DESIGNED TO SNAP LOCK INTO A  $\text{Ø}.122\pm.002$  [ $\text{Ø}3.10\pm0.05$ ] HOLE
  4. INSERTS THROUGH A  $\text{Ø}.120-.140$  [ $\text{Ø}3.05-3.5$ ] HOLE IN HEATSINK
  5. SPRING RATE: 7 LB/IN REF.
  6. PART IS DESIGNED IN INCHES,  
MILLIMETER CONVERSIONS ARE PROVIDED FOR REF ONLY

TITLE: <b>HEAT SINK SPRING MOUNT RIVET</b>				UNITS= IN [mm]	
CREATED USING SOLIDWORKS	FILE #: HSR-2	DWN: SK	APP: -	FINAL	
TOLERANCES UNLESS NOTED	SHEET: 1 OF 1	SHEET SIZE: A	DT: 05/04/11	CHKD: -	PART #
XX=±.010 .XXX=±.005 FRAC.=±1/64 ANG.=±1°	RE: RICHCO, INC. --	RICHCO, INC. WWW.RICHCO-INC.COM		HSR-2	PRINT TYPE CA

B	SEE CO 200690 FOR CHANGES	SK 07/08/2011
A	RELEASED FOR PRODUCTION	SK 06/30/2011
REV.	DESCRIPTION	ENGR. DATE