



RESISTANCE @ +25°C = 100,000 Ω ± 10%
 RESISTANCE/TEMPERATURE CURVE = "J"
 BETA "β" (0 TO +50°C) = 3,892°K NOMINAL
 TEMPERATURE COEFFICIENT @ +25C = -4.4%/°C NOMINAL
 DISSIPATION CONSTANT = 2 mW/°C NOMINAL
 THERMAL TIME CONSTANT = 8 SECONDS NOMINAL
 MAXIMUM TEMPERATURE RATING = +220°C

| REV | REVISION RECORD | DATE | APP |
|-----|--|----------|-----|
| "A" | ? | ? | ? |
| "B" | BODY LENGTH WAS 0.155" | 02/28/03 | TW |
| --- | ISO RELEASE | 12/11/03 | DD |
| "C" | DIAMETER TOLERANCE WAS ± 0.004" & TAB THICKNESS TOLERANCE WAS ± 0.004" | 03/15/06 | DD |

| | |
|------------------------|---|
| SCALE NONE | U.S. SENSOR CORP. © COPYRIGHT 714-639-1000 www.ussensor.com |
| DRAWN BY R. DANKERT | |
| DATE 03/21/94 | NTC THERMISTOR |
| REV. "C" | P/N SM104J1K |
| LAYER 0 OF 2 | |