



Tripp Lite
1111 West 35th Street
Chicago, IL 60609 USA
Telephone: +(773) 869 1234
E-mail: saleshelp@tripplite.com

Model #: TLP2USBD

Protect It! Surge Suppressor - State-of-the-art protection for every application



Highlights

- 2 safety outlets
- 380 joule rating
- 2 USB ports
- 33 cm cord

Description

Tripp Lite's Protect It!™ TLP2USBD offers economical AC surge suppression for full protection of 220-250V home computers, printers, scanners, and desk lamps. The TLP2USBD offers 2 Schuko type F outlets and 33 cm AC line cord. Two USB ports are perfect for charging cell phones, iPods, MP3 players and other mobile devices. Internal safety covers protect against accidental contact with unused outlets.

Applications

Ideal for notebooks, home computers, printers, scanners, and desk lamps.

Package Includes

- TLP2USBD surge suppressor
- Instruction manual and warranty information

Features

- Protect It!™ TLP2USBD offers economical AC surge suppression
- 380 joules AC surge suppression shields equipment from surges and line noise
- 2 Schuko outlets protects computers and peripherals
- 2 USB ports are perfect for charging cell phones, iPods, MP3 players and other mobile devices
- 33 cm cord with German plug
- Internal safety covers protect against accidental contact with unused outlets

Specifications

| OVERVIEW | |
|------------------------|---------------------|
| Intended Application | Travel, Home/Office |
| OUTPUT | |
| Circuit Breaker (amps) | 10 |
| Outlet quantity / type | 2 Schuko Type F |

| | |
|-------------------------------------|---------------------------|
| Transformer accommodation | 1 |
| INPUT | |
| Nominal Input Voltage(s) Supported | 230V AC |
| Recommended Electrical Service | 230V (220-250V) |
| Input connection type | German |
| Input cord length (m) | 0.33 |
| Voltage compatibility (VAC) | 220-250 |
| SURGE / NOISE SUPPRESSION | |
| AC suppression joule rating | 380 |
| DATALINE SURGE SUPPRESSION | |
| Telephone/DSL Protection | No |
| Cable (Coax) Protection | No |
| Network (Ethernet) Protection | No |
| PHYSICAL | |
| Shipping Dimensions (HWD/in) | 8.67 x 6.10 x 3.15 |
| Shipping Dimensions (HWD/cm) | 22.02 x 15.49 x 8.00 |
| Shipping weight (lbs) | .50 |
| Shipping weight (kg) | 0.23 |
| Unit Dimensions (HWD/in) | 5.9 x 2.17 x 1.63 |
| Unit Dimensions (HWD/cm) | 14.99 x 5.51 x 4.14 |
| Unit weight (lbs) | .48 |
| Unit weight (kg) | 0.22 |
| Housing Color | Black |
| Receptacle Color | Black |
| AC line cord color | Black |
| CONNECTIONS | |
| Ports | 2 |
| SPECIAL FEATURES | |
| Right-Angle Plug | Yes |
| WARRANTY | |
| Product Warranty Period (Worldwide) | Lifetime limited warranty |

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=4177.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.