



**Tripp Lite**  
1111 West 35th Street  
Chicago, IL 60609 USA  
Telephone: +(773) 869 1234  
E-mail: [saleshelp@tripplite.com](mailto:saleshelp@tripplite.com)

## Model #: TLP82MASF

**Protect It! Surge Suppressor - State of the art protection for every application**



### Highlights

- 8 safety outlets
- 2 m cord
- Network protection
- 1 Line coax protection
- Protected/Grounded LED's
- 1140 joule rating
- Energy saving master/subordinate outlet array

### Description

Tripp Lite's Protect It!™ TLP82MASF offers economical AC surge suppression for full protection of 220-250V home computers, printers, scanners, and desk lamps. The TLP82MASF offers 8 French type E outlets and a 2 meter AC line cord. Internal safety covers protect against accidental contact with unused outlets.

#### Applications

Ideal for home computers, printers, scanners, and desk lamps.

#### Package Includes

- TLP82MASF surge suppressor
- 1.8 aerial cable and 2 aerial adapters
- 1.8 m gold coax cable
- 1.8 m network cable
- Instruction manual and warranty information

### Features

- Protect It!™ TLP82MASF offers economical AC surge suppression
- 1140 joules AC surge suppression shields equipment from surges and line noise
- 8 French outlets protects computers and peripherals
- 2 m cord with French plug
- Lighted ON/OFF switch with circuit breaker
- Network Protection
- Coax Protection
- Aerial Adapters
- Energy saving master/subordinate outlet array
- Internal safety covers protect against accidental contact with unused outlets

### Specifications

#### OVERVIEW

Intended Application	Computer Networking, Home/Office, Audio/Video, Green (Energy-Saving)
<b>OUTPUT</b>	
Output watts	2500
Circuit Breaker (amps)	10
Outlet quantity / type	8 French Type E
Transformer accommodation	5
<b>INPUT</b>	
Nominal Input Voltage(s) Supported	230V AC
Recommended Electrical Service	230V (220-250V)
Maximum Input Amps (A)	10
Input connection type	French
Input cord length (ft.)	6
Input cord length (m)	2
Voltage compatibility (VAC)	220-250
<b>LEDS ALARMS &amp; SWITCHES</b>	
Diagnostic LEDs	Protected/Grounded
<b>SURGE / NOISE SUPPRESSION</b>	
AC suppression joule rating	1140
<b>DATALINE SURGE SUPPRESSION</b>	
Cable (Coax) Protection	Yes
Cable (Coax) Protection Details	1 line
Network (Ethernet) Protection	Yes
Network (Ethernet) Protection Details	1 line
<b>PHYSICAL</b>	
Shipping Dimensions (HWD/in)	14.80 x 7.48 x 2.17
Shipping Dimensions (HWD/cm)	37.59 x 19.00 x 5.51
Shipping weight (lbs)	2.3
Shipping weight (kg)	1.04
Unit Dimensions (HWD/in)	12.44 x 4.61 x 1.93
Unit Dimensions (HWD/cm)	31.60 x 11.71 x 4.90
Unit weight (lbs)	2.1
Unit weight (kg)	0.95
Housing Color	Black

<b>Receptacle Color</b>	Black
<b>AC line cord color</b>	Black
<b>SPECIAL FEATURES</b>	
<b>Right-Angle Plug</b>	Yes
<b>Economy Mode</b>	Yes
<b>WARRANTY</b>	
<b>Product Warranty Period (Worldwide)</b>	Lifetime limited warranty

More information, including related products, owner's manuals, and additional technical specifications, can be found online at [www.tripplite.com/en/products/model.cfm?txtModelID=4187](http://www.tripplite.com/en/products/model.cfm?txtModelID=4187).

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.