



Tripp Lite
1111 West 35th Street
Chicago, IL 60609 USA
Telephone: +(773) 869 1234
E-mail: saleshelp@tripplite.com

Model #: AV10IRG

10 rear outlets, 8-ft swivel cord, 6480 joule, 3-line coaxial & 1-line tel/network, LED screen - ECO-SURGE

Highlights

- 10 rear outlets / 8-ft swivel cord
- 6480 joule rating
- Auto/manual switch offers GREEN energy savings or standard protection
- 3-line 2.2GHz digital gold coaxial protection
- 1-line tel/network protection
- Illuminated LED screen
- \$250,000 Ultimate Lifetime Insurance (USA & Canada only)



Description

Tripp Lite's AV10IRG offers reliable, GREEN surge technology that protects your A/V installations, the environment and your wallet. Energy-saving outlet configuration reduces energy waste (phantom loads) by cutting AC power to unused peripherals. The AV10IRG offers 6480 joules of advanced surge protection for all A/V components. You can see and hear the difference: sharper, crisper video; deeper, fuller audio; longer component life spans. Perfect for medium-to-large home/business theater installations: high definition TVs, satellite A/V receivers, DVD/CD players, DVR/Tivo recorders and more. 10 outlets, 3-line 2.2 GHz digital gold coaxial protection and 1-line tel/network protection safeguard an entire home theater system. The AV10IRG offers a sleek contemporary design, with LCD screen, fits into any A/V installation. IR receiver on the front of the surge, receives the signal from any IR remote to power on components plugged into the GREEN "Power Save" outlets. Includes three diagnostic LEDs and 4 status LED indicators. 8-ft swivel cord, 6-ft coaxial cable and 6-ft network cable. \$250,000 Ultimate Lifetime Insurance coverage (USA and Canada only)

Applications

Perfect for medium-to-large home/business theater installations: high-definition TVs, satellite and A/V receivers. DVD/CD players and more

Package Includes

- AV10IRG ECO-SURGE Energy Saving Surge Suppressor
- 6-ft. tel/network cable
- 6-ft. gold coaxial cable

Features

- Green Outlet Array; "Power Save" outlets cut AC power to 7 connected components when not in use - perfect for non-essential components that do not save settings like DVD players, gaming consoles, amplifiers and speaker systems. "Always On" outlets provide continuous power to 3 critical devices that save settings like DVRs and recorders (TiVo), cable and satellite boxes
- IR receiver - receives the signal from your IR remote to power on components plugged into the GREEN "Power Save" outlets
- Illuminated LED panel shows real time amperage readings of the 7 "Power Save" outlets, helping avoid power overloads
- High 6480 joule surge suppression rating with EMI/RFI line noise filtering help components perform at their peak (sharper, crisper video; deeper, fuller audio and longer component life spans)
- 10 rear surge-protected outlets (7 controlled, 3 unswitched)
- 8-ft Swivel power cord, swivels to reach around corners or other obstacles to access distant outlets
- 3 sets of surge protected 2.2 GHz gold coaxial connectors safeguard components on cable, satellite and antenna line
- 1-line tel/modem/Ethernet (100BaseT, high-speed) surge protection safeguards personal video recorders (PVRs) on a single dial-up or ethernet line.
- 3 diagnostic LEDs alert user to power, protection and grounded status and 4 status LEDs indicate when AC power is present.
- IR extension jack works with an optional cord and small receiver to extend IR transmission distance. [IR Extender Referral Link](#)

Specifications

OVERVIEW	
Intended Application	Green (Energy-Saving)
OUTPUT	
Frequency compatibility	60 Hz
Output watts	1800
Outlet quantity / type	10 NEMA 5-15R
Outlet orientation	10 rear outlets (7 controlled, 3 unswitched)
INPUT	
Nominal Input Voltage(s) Supported	120V AC
Recommended Electrical Service	120V (110-125V)
Plug Type	NEMA-P
Input cord gauge, type	SJT, 14 AWG, 3C
Voltage compatibility (VAC)	120
Maximum Surge Amps	432000
SURGE / NOISE SUPPRESSION	
AC suppression joule rating	6480
AC suppression response time	
Protection modes	Includes full normal mode (H-N) and common mode (N-G / H-G) line surge suppression
Clamping voltage (RMS)	150
UL1449 let through rating	330V
EMI / RFI filtering	Up to 75 db
DATALINE SURGE SUPPRESSION	
Telephone/DSL Protection	Yes
Cable (Coax) Protection	Yes
Cable (Coax) Protection Details	3 line
Network (Ethernet) Protection	Yes
PHYSICAL	
Shipping Dimensions (HWD/in)	2.16 x 7.24 x 18.66
Shipping Dimensions (HWD/cm)	5.49 x 18.39 x 47.40
Shipping weight (lbs)	4.08
Shipping weight (kg)	1.85
Unit Dimensions (HWD/in)	1.73 x 4.37 x 17.36

Unit Dimensions (HWD/cm)	4.39 x 11.10 x 44.09
Unit weight (lbs)	3.11
Unit weight (kg)	1.41
Housing Color	Black
Receptacle Color	Black
AC line cord color	Black
SPECIAL FEATURES	
Green & high efficiency features	Power saving auto-shutoff ECO outlets
Remote control capability	Yes
CERTIFICATIONS	
UL1449 3rd Edition (AC Suppression)	UL1449 3RD EDITION
cUL / CSA (Canada)	cUL
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty
Connected Equipment Insurance (U.S., Canada & Puerto Rico)	\$250,000 Ultimate Lifetime Insurance

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=4698.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.