

Model #: 0SU70028

Minicom PX USB - Remote KVM access



Highlights

- Single port, palm-sized device
- Virtual Media for complete remote management
- Absolute Mouse Support for reduced installation hassle
- BIOS level access over IP connection
- Cost-effective & easily scalable
- Power over Ethernet & external power option
- For remote power control (power on / off / reboot), purchase Minicom's PX USB + Power on Cable Kit (0SU70068)
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

Description

Complete access to your computer - any time, anywhere

PX USB is a high performance KVM IP Gateway providing complete BIOS level remote kvm access and control of your computer or server, from any location. PX USB comes with 256 AES security as standard, and is equally adept in small business environments, remote support applications, and Enterprise data centers. Whatever your circumstance, wherever your computer, PX USB gives you the confidence of complete access and control, always.

Virtual Media capability for each server

The PX USB features virtual media technology allowing a remote user to effortlessly move files from his USB or CD-ROM drive to target servers that may be anywhere in the world. With PX USB you no longer have to be physically present at each server in order to install or recover software applications and install OS patches.

Complete remote support for mission critical applications

PX USB is an indispensable tool for remotely supporting mission-critical computers and devices. PX USB lets you instantly access the remote computer's BIOS, and accurately diagnose and even fix system faults - saving you the time and cost of a field technician roll out. For remote power control (power on / off / reboot), purchase Minicom's PX USB + Power on Cable Kit (0SU70068)

Scalable centralized management

The single-port PX USB handily solves the problem of blocked server access in the data center. With a number of PX USB devices connected, multiple remote users can control multiple servers, all at the same time. Additional PX USB devices can be added as your data center grows. PX USB is ideal for corporations operating servers at multiple sites such as testing labs, university campuses, branch offices, and multi-floor facilities. The rack-mountable PX USB also uses Power over Ethernet (PoE) technology for efficient, clutter free power management.

System Requirements

Operating System

• Compatible with Windows 98 and higher, Novell, Linux, SUN Solaris and Mac

Resolution

- Host Computer: Supports video resolutions up to 1600 x 1200 @ 85Hz
- Client Computer: Recommended client computer resolution should be higher than resolution on the host computer

Package Includes

- PX USB
- USB Cable Kit
- Rackmount Hardware

• Owner's Manual

Features

- Single port, palm-sized device
- Virtual Media for complete remote management
- Absolute Mouse Support for reduced installation hassle
- BIOS level access over IP connection
- Management system enabled
- Cost-effective & easily scalable
- Ideal for isolated/widely distributed servers
- Power over Ethernet & external power option
- For remote power control (power on / off / reboot), purchase Minicom's PX USB + Power on Cable Kit (0SU70068)
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

Specifications

OVERVIEW		
# Of Users	1	
PC/Server	VGA; USB; PS/2	
Model Type	IP Remote Units	
UPC ASSIGNMENT		
Unit Carton UPC#	654518209174	
ENVIRONMENTAL		
Storage Temperature Range	-40°C to 70°C / -40°F to 158°F	
Relative Humidity	80% Non-Condensing	
Operating Temperature	0°C to 40°C / 32°F to 104°F	
WARRANTY		
Product Warranty Period (Worldwide)	3-year limited warranty	

Related Items

Optional Products

Related Model	Description	Qty.
0SU60020	Minicom Power-on-Cable (PoC)	1
0SU70068	Minicom PX USB - Remote KVM access with Power-on-Cable (POC)	1
0SU70017	Minicom IP Control - Remote BIOS Access	1
0SU51068	Minicom Smart IP Access - Extend KVM control over IP	1
0SU70033	Minicom PX Serial - Remote KVM access	1
B051-000	IP Remote Access Unit (KVM over IP)	1
B051-000-AC	IP Remote Access Unit (KVM over IP) with Power and Serial Control	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModeIID=5207.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.