



Tripp Lite
 1111 West 35th Street
 Chicago, IL 60609 USA
 Telephone: +(773) 869 1234
 E-mail: saleshelp@tripplite.com

Model #: B130-101-WP-1

VGA over Cat5 (RJ45 Type) Extender Wallplate Kit (Transmitter + Receiver)

Highlights



- Extends a 1920 x 1440 (60Hz) video signal up to 500 ft., or a 1024 x 768 (60Hz) video signal up to 1,000 ft., when using 24Awg, Solid Wire Cat5e/6 cable, such as Tripp Lite's [N022-01K-GY](#) (Cat5) and [N222-01K-GY](#) (Cat6)
- For optimal image quality between 500 and 1,000 ft., use Zero-Skew cable, such as Tripp Lite [P524-01K](#)
- RJ45 type wallplates allow you to use standard patch cable, eliminating the need for a 110 punchdown connection
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

Description

Tripp Lite's B130-101-WP-1 allows you to extend a 1920 x 1440 (60Hz) video signal up to 500 ft., or a 1024 x 768 (60Hz) video signal up to 1,000 ft., when using 24Awg, Solid Wire Cat5e/6 cable, such as Tripp Lite's [N022-01K-GY](#) (Cat5) and [N222-01K-GY](#) (Cat6). For optimal image quality between 500 and 1,000 ft., use Zero-Skew cable, such as Tripp Lite [P524-01K](#). The remote (Receiver) unit features built-in Equalization and Gain controls to adjust the video image. Kit includes local (Transmitter) and remote (Receiver) RJ45 type wallplates, which allow you to use standard patch cable, eliminating the need for a 110 punchdown connection. A VGA "Y" cable is included for use with the local unit, allowing for the connection of a local monitor. Ideal for digital signage situations, such as retail, schools, churches, etc.

Package Includes



- Local (Transmitter) wallplate
- Remote (Receiver) wallplate
- VGA "Y" cable
- Mini-Screwdriver for EQ/Gain adjustment
- Wallplate Screws
- (x2) External Power Supply (Input: 100-240V, 50/60Hz, 0.5A Output: 5V, 2A)
- Owner's Manual

Features

- Extends a 1920 x 1440 (60Hz) video signal up to 500 ft., or a 1024 x 768 (60Hz) video signal up to 1,000 ft., when using 24Awg, Solid Wire Cat5e/6 cable, such as Tripp Lite's [N022-01K-GY](#) (Cat5) and [N222-01K-GY](#) (Cat6)
- For optimal image quality between 500 and 1,000 ft., use Zero-Skew cable, such as Tripp Lite [P524-01K](#)
- A VGA "Y" cable is included for use with the local unit, allowing for the connection of a local monitor
- RJ45 type wallplates allow you to use standard patch cable, eliminating the need for a 110 punchdown connection
- The remote (Receiver) unit features built-in Equalization and Gain controls to adjust the video image
- Ideal for digital signage situations, such as retail, schools, churches, etc.
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

Specifications

| OVERVIEW | |
|---------------|----------|
| Cable Type | VGA |
| Display Style | Extender |

| PHYSICAL | |
|-------------------------------------|---|
| Shipping weight (lbs) | 1.65 |
| Shipping weight (kg) | 0.75 |
| CONNECTIONS | |
| Connector A |  (X2) HD15 (FEMALE) |
| Connector B |  (X2) RJ45 (FEMALE) |
| WARRANTY | |
| Product Warranty Period (Worldwide) | 1-year limited warranty |

Related Items

Recommended Products

| Related Model | Description | Qty. |
|-----------------------------|---|------|
| N202-050-BL | 50-ft. Cat6 Gigabit Solid Conductor Snagless Patch Cable (RJ45 M/M) - Blue | 1 |
| N202-075-BL | 75-ft. Cat6 Gigabit Solid Conductor Snagless Patch Cable (RJ45 M/M) - Blue | 1 |
| N202-100-BL | 100-ft. Cat6 Gigabit Solid Conductor Snagless Patch Cable (RJ45 M/M) - Blue | 1 |
| N202-150-BL | 150-ft. Cat6 Gigabit Solid Conductor Snagless Patch Cable (RJ45 M/M) - Blue | 1 |
| N202-200-BL | 200-ft. Cat6 Gigabit Solid Conductor Snagless Patch Cable (RJ45 M/M) - Blue | 1 |
| P502-006 | 6-ft. SVGA/VGA Monitor Cable with RGB Coax (HD15 M/M) | 1 |
| P502-010 | 10-ft. SVGA/VGA Monitor Cable with RGB Coax (HD15 M/M) | 1 |
| P502-015 | 15-ft. SVGA/VGA Monitor Cable with RGB Coax (HD15 M/M) | 1 |
| P524-01K | 1000-ft. Zero-Skew UTP Bulk Patch Cable for RGB Video | 1 |

Optional Products

| Related Model | Description | Qty. |
|--------------------------------|---|------|
| B110-INT | International AC Adapter for Tripp Lite Video over CAT5 Extenders | 1 |
| B130-101-2 | VGA over Cat5 Extender Kit (Transmitter + Receiver) | 1 |
| B130-101A-2 | VGA + Audio over Cat5 Extender Kit (Transmitter + Receiver) | 1 |
| B130-101A-WP-1 | VGA + Audio over Cat5 (RJ45 Type) Extender Wallplate Kit (Transmitter + Receiver) | 1 |
| B132-002-2 | VGA over Cat5 Extender 2-Port Transmitter | 1 |
| B132-002A-2 | VGA + Audio over Cat5 Extender 2-Port Transmitter | 1 |
| B132-100-1 | VGA over Cat5 Receiver | 1 |
| B132-100A | VGA + Audio over Cat5 Receiver | 1 |
| B132-100-WP-1 | VGA over Cat5 Receiver - RJ45-type Wallplate | 1 |
| B132-100A-WP-1 | VGA + Audio over Cat5 Receiver - RJ45-type Wallplate | 1 |
| B132-110 | VGA over Cat5 Extender Remote/Repeater Unit | 1 |

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=4874.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.