



Tripp Lite
 1111 West 35th Street
 Chicago, IL 60609 USA
 Telephone: +(773) 869 1234
 E-mail: saleshelp@triplite.com

Model #: N001-025-GY

25-ft. Cat5e 350MHz Snagless Molded Cable (RJ45 M/M) - Gray



Highlights

- Premium cabling for Category 5 and 5e applications—rated for 350 MHz/1 Gbps communications
- IEEE 802.3ab
- PVC 4-pair stranded UTP
- All cables feature boots with integral strain-relief and RJ45 (Male) connectors

Description

Tripp Lite's 25-ft. gray snagless category 5e (Cat5e) patch cable has 2 snagless RJ45 molded male connectors featuring integral strain relief. The cable is manufactured from PVC 4-pair stranded UTP and is rated for 350MHz/1Gbps communication. All cables are offered in a variety of lengths and colors for all category 5 (Cat5) and 5e cabling needs. Standard category 5e patch cables are also available.

System Requirements

- For 1000Base-T (1Gbps Ethernet), 10/100Base-T (Ethernet), 100 Mbps TPDDI, 155 Mbps ATM, ISDN, voice and Token Ring Type3 applications.

Package Includes



- 25 ft. Gray Snagless Cat5e Patch Cable

Features

- Cabling for category 5 (Cat5) and 5e (Cat5e) applications
- Length: 25- Ft. color: gray connectors: RJ45 male
- Feature molded connectors with integral strain relief
- Snagless design protects the locking tabs on the RJ45 connectors from being damaged or snapped off during installation
- PVC 4-pair stranded UTP
- Rated for 350MHz/ 1Gbps communication
- Meets most current industry standards including IEEE 802.3ab, IEEE 802.5, ANSI/EIA/TIA 568, ISO/IEC 11801 and ETL (category 5e draft 11)
- Available in other colors and lengths
- Also available without the snagless feature (N002 series)
- Also available - Cat6 cables (N201 series)

Specifications

| OVERVIEW | |
|----------------------|---------------------|
| Intended Application | Computer Networking |

| | |
|-------------------------------------|--|
| Cable Type | CAT5 / CAT5E |
| Model Type | Snagless Patch Cables |
| INPUT | |
| Cable Length (ft.) | 25 |
| Cable Length (m) | 7.62 |
| UPC ASSIGNMENT | |
| Unit Carton UPC# | 037332042682 |
| PHYSICAL | |
| Color | Gray |
| Style | Cat5/5e |
| CONNECTIONS | |
| Connector A |  RJ45 (MALE) |
| Connector B |  RJ45 (MALE) |
| CERTIFICATIONS | |
| Certifications | RoHS-Compliant |
| WARRANTY | |
| Product Warranty Period (Worldwide) | Lifetime limited warranty |

Related Items

Optional Products

| Related Model | Description | Qty. |
|-----------------------------|--|------|
| DNET1 | Network Surge Suppressor - Essential protection for data and communication lines | 1 |
| N001-014-GY | 14-ft. Cat5e 350MHz Snagless Molded Cable (RJ45 M/M) - Gray | 1 |
| N001-025-BK | 25-ft. Cat5e 350MHz Snagless Molded Cable (RJ45 M/M) - Black | 1 |
| N001-025-BL | 25-ft. Cat5e 350MHz Snagless Molded Cable (RJ45 M/M) - Blue | 1 |
| N002-025-GY | 25-ft. Cat5e 350MHz Molded Cable (RJ45 M/M) - Gray | 1 |
| N010-007-GY | 7-ft. Cat5e 350MHz Molded Cross-over Cable (RJ45 M/M) - Gray | 1 |
| N022-01K-GY | 1000-ft. Cat5e 350MHz Bulk Solid-core PVC Cable - Gray | 1 |
| N032-001 | Cat5e Straight Through Modular In-line Coupler (RJ45 F/F) | 1 |
| N033-001 | Straight Through Modular In-line Coupler (RJ45 F/F) | 1 |
| N050-012 | 12-Port Cat5e Wall Mount Patch Panel 568B | 1 |

| | | |
|----------|-----------------------------------|---|
| N052-012 | 12-Port Cat5e Patch Panel 568B | 1 |
| N052-024 | 24-Port Cat5e Patch Panel 568B | 1 |
| N052-048 | 48-Port Cat5e Patch Panel 568B | 1 |

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=2088.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.