



**Tripp Lite**  
 1111 West 35th Street  
 Chicago, IL 60609 USA  
 Telephone: +(773) 869 1234  
 E-mail: [saleshelp@tripplite.com](mailto:saleshelp@tripplite.com)

## Model #: N310-003

### 1M (3-ft.) Duplex MMF 62.5/125 Patch Cable (MTRJ/SC)



#### Highlights

- Premium PVC 62.5/125µm multimode patch cables
- Attenuation loss meets or exceeds the latest industry standards
- Loop-back cables provide an easier, "single-person" solution for testing fiber optic cable systems

#### Description

Tripp Lite's 3-ft. multimode duplex fiber optic MTRJ/SC patch cable is manufactured from 62.5/125 zipcord fiber. The cable has MTRJ to SC connectors, a PVC jacket and is FDDI and OFNR rated. Duplex multimode fiber is most commonly used in LAN applications.

#### System Requirements

- Any fiber optic hardware or NIC card requiring multimode duplex cable with MT-RJ/SC connectors

#### Package Includes


- 3-ft. Duplex MMF Cable MTRJ/SC 62.5/125 Fiber

#### Features

- Manufactured from 62.5/125 duplex (zipcord) fiber
- PVC jacket
- Length: 3-ft. Connectors: MTRJ to 2 SC
- Insertion loss testing performed on every connector (0.2db typical) and provided with cable
- Beveled edge on ends of glass makes insertion of plug a breeze
- Fiber made from glass (not a polymer)
- Color coded shrouds identify transmit and receive
- Duplex multimode fiber is most commonly used in LAN applications where links are typically 10 feet or less
- Fiber optic distributed data interface (FDDI) rated
- OFNR (riser rated)

#### Specifications

| OVERVIEW             |                                |
|----------------------|--------------------------------|
| Fiber Type           | 62.5/125 - OM1                 |
| Intended Application | Computer Networking (Fiber)    |
| Cable Type           | MULTIMODE 62.5/125 FIBER OPTIC |

|                                     |   |
|-------------------------------------|---|
| Network Speed                       | 1Gbps   |
| <b>INPUT</b>                        |   |
| Cable Length (ft.)                  | 3   |
| Cable Length (m)                    | 0.91  |
| <b>UPC ASSIGNMENT</b>               |   |
| Unit Carton UPC#                    | 037332042064  |
| <b>PHYSICAL</b>                     |   |
| Color                               | Orange  |
| Style                               | Fiber Optic   |
| <b>CONNECTIONS</b>                  |   |
| Connector A                         | <br>MTRJ |
| Connector B                         | <br>SC   |
| Number of Connectors                | 2   |
| <b>WARRANTY</b>                     |   |
| Product Warranty Period (Worldwide) | Lifetime limited warranty   |

## Related Items

### Optional Products

| Related Model            | Description  | Qty. |
|--------------------------|--|------|
| <a href="#">N302-003</a> | 1M (3-ft.) Duplex MMF 62.5/125 Patch Cable (ST/ST)   | 1    |
| <a href="#">N304-003</a> | 1M (3-ft.) Duplex MMF 62.5/125 Patch Cable (SC/ST)   | 1    |
| <a href="#">N306-003</a> | 1M (3-ft.) Duplex MMF 62.5/125 Patch Cable (SC/SC)   | 1    |
| <a href="#">N308-003</a> | 1M (3-ft.) Duplex MMF 62.5/125 Patch Cable (MTRJ/ST) | 1    |
| <a href="#">N310-006</a> | 2M (6-ft.) Duplex MMF 62.5/125 Patch Cable (MTRJ/SC) | 1    |
| <a href="#">N314-01M</a> | 1M (3-ft.) Duplex MMF 62.5/125 Patch Cable (MTRJ/LC) | 1    |
| <a href="#">N316-01M</a> | 1M (3-ft.) Duplex MMF 62.5/125 Patch Cable (LC/SC)   | 1    |
| <a href="#">N318-01M</a> | 1M (3-ft.) Duplex MMF 62.5/125 Patch Cable (LC/ST)   | 1    |
| <a href="#">N320-01M</a> | 1M (3-ft.) Duplex MMF 62.5/125 Patch Cable (LC/LC)   | 1    |

More information, including related products, owner's manuals, and additional technical specifications, can be found online at [www.tripplite.com/en/products/model.cfm?txtModelID=2172](http://www.tripplite.com/en/products/model.cfm?txtModelID=2172).

---

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.