Model #: S366-003

SCSI/Fibre Channel - 3-ft. SCSI Cable HD50M to HD50M Double Shielded

Highlights

- Premium double-shielded cable
- 25 twisted-pair conductors

Description

Multi-platform SCSI II external peripheral cable HD50M/M. This 3ft cable is designed to connect two SCSI II (fast SCSI) devices together. Manufactured using double shielded 25 twisted pair high impedance cable. Constructed with low-capacitance, impedance matched, 28 AWG, stranded, tinned copper cable with insulated in polypropylene. Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

System Requirements

- Any external SCSI II device or controller card requiring HD50 interface

Package Includes

- 3ft SCSI Cable HD50M to HD50M Double Shielded

Features

- Backwards compatibility with previous SCSI generations
- Double shielded (foil and braid)
- 25 twisted pair conductors
- Low-capacitance impedance matched 28 AWG stranded tinned copper insulated in polypropylene
- All Tripp Lite SCSI products, regardless of the SCSI generation, meet the latest specifications of ANSI
- Tripp Lite offers a complete line of internal and external solutions for SCSI/RAID and fibre channel ranging from the very latest Ultra 320 to legacy SCSI-1 and every combination in between
- Tripp Lite warrants this product to be free from defects in materials and workmanship for life

Specifications

INPUT	
Cable Length (ft.)	3
UPC ASSIGNMENT	
Unit Carton UPC#	037332014061

CONNECTIONS

Connector A	HD50 (MALE)
Connector B	HD50 (MALE)

WARRANTY

Product Warranty Period (Worldwide)	Lifetime limited warranty

More information, including related products, owner's manuals, and additional technical specifications, can be found online at

www.tripplite.com/en/products/model.cfm?txtModelID=2388.