



Tripp Lite
 1111 West 35th Street
 Chicago, IL 60609 USA
 Telephone: +(773) 869 1234
 E-mail: saleshelp@tripplite.com

Model #: P230-001

1-ft. PS/2 Keyboard/Mouse Y Splitter Cable (Mini-DIN6M to 2x Mini-DIN6F)

Highlights

- Superior molded cables with foil-shielding for maximum EMI/RFI protection
- For AT and PS/2 keyboards



Description

Tripp Lite's 1-ft PS/2 Y Splitter allows both a keyboard and a mouse to be connected to the same PS/2 port and used simultaneously. Invaluable to any notebook/laptop user since most systems have only one PS/2 port. MiniDIN6 male to two MiniDIN6 female ports.

System Requirements

- Laptop/Notebook with PS/2 port (MiniDin6F).

Package Includes



- 1-ft. PS/2 Keyboard/Mouse Y Splitter MiniDIN6M to two MiniDIN6F

Features

- Superior molded cables with foil-shielding for maximum EMI/RFI - Protection.
- MiniDIN6 (male) to two MiniDIN6 (female)

Specifications

OVERVIEW	
Intended Application	Connecting Peripherals
Cable Type	KEYBOARD / MOUSE
INPUT	
Cable Length (ft.)	1
Cable Length (m)	0.30
UPC ASSIGNMENT	
Unit Carton UPC#	037332011954
PHYSICAL	

Color	Beige
Style	Keyboard/Mouse
CONNECTIONS	
Connector A	 MINI DIN-6 (MALE)
Connector B	 MINI DIN-6 (FEMALE)
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

Related Items

Optional Products

Related Model	Description	Qty.
B007-008	KVM Switch - 8-Port 1U Rackmount KVM Switch with On-Screen Display	1
P108-000-R	PS/2 to AT Keyboard Adapter (DIN5M to Mini-DIN6F)	1
P222-006	6-ft. PS/2 Keyboard/Mouse Extension Cable (Mini-DIN6 M/F)	1
P222-010	10-ft. PS/2 Keyboard/Mouse Extension Cable (Mini-DIN6 M/F)	1
P222-015	15-ft. PS/2 Keyboard/Mouse Extension Cable (Mini-DIN6 M/F)	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=2239.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.