



MSL1

* Pb Free Part

Customer Name	Standard specification	TAIYO YUDEN Mobile Technology Co., Ltd.	
System	GSM900-Rx (50/150ohm)	Date	March 31,2010
Part Number	FAR-F5QB-942M50-P2BB	Version 2.1 b	

Table 1. Electrical specifications

Pass Band (925-960MHz)						
Item	Condition (MHz)	Specification			Unit	Remarks
		Min.	Typ.	Max.		
Insertion Loss	925-960	-	1.6	2.4	dB (*1)	
Ripple	925-960	-	0.5	1.4	dB	
Input VSWR	925-960	-	1.9	2.2	-	
Output VSWR	925-960	-	1.8	2.2	-	
Absolute attenuation	DC-880	40	63	-	dB	
	880-905	28	37	-	dB	
	905-915	20	28	-	dB	
	980-1025	25	33	-	dB	
	1025-2880	37	56	-	dB	
	2880-6000	30	48	-	dB	
Amplitude balance (S21/S31)	925-960	-1.0	-0.2/+0.4	+1.0	dB	
Phase balance ((Φ S21- Φ S31)+180)	925-960	-10	-1/+4	+10	deg	
Input impedance (Unbalanced)		50			Ohm	
Output impedance (Balanced)		150//82nH			Ohm	
Operating temperature		-30 to +85			°C	

(*1) These data include loss that comes from the test board.



MSL1

* Pb Free Part

Customer Name	Standard specification	TAIYO YUDEN Mobile Technology Co.,Ltd.	
System	GSM900-Rx (50/150ohm)	Date	March 31,2010
Part Number	FAR-F5QB-942M50-P2BB	Version 2.1 b	




Fig.1 Pass-band Characteristic




Fig.2 VSWR

— Input
— Output



MSL1

* Pb Free Part

Customer Name	Standard specification	TAIYO YUDEN Mobile Technology Co.,Ltd.	
System	GSM900-Rx (50/150ohm)	Date	March 31,2010
Part Number	FAR-F5QB-942M50-P2BB	Version 2.1 b	




Fig.3 In-band Characteristic




Fig.4 Wide-band Characteristic



MSL1

* Pb Free Part

Customer Name	Standard specification	TAIYO YUDEN Mobile Technology Co.,Ltd.	
System	GSM900-Rx (50/150ohm)	Date	March 31,2010
Part Number	FAR-F5QB-942M50-P2BB	Version 2.1 b	




Fig.5 Impedance (S11)




Fig.6 Impedance (S22)



MSL1

* Pb Free Part

Customer Name	Standard specification	TAIYO YUDEN Mobile Technology Co.,Ltd.	
System	GSM900-Rx (50/150ohm)	Date	March 31,2010
Part Number	FAR-F5QB-942M50-P2BB	Version 2.1 b	




Fig.7 Amplitude Balance




Fig.8 Phase Balance