



GSM / 868MHz YAGI

Features

- 860 - 960MHz
- 1770—1880MHz
- +23dBi Gain
- VSWR <2:1
- Vertical Polarisation
- 10m RG58 to SMA(M)
- 50Ω Impedance
- Aluminium & ABS
- 18 elements
- U Bolt Fixing
- Operates from -40 to +80°C



Applications

- GSM Applications
- 868MHz M2M
- M2M Applications

A High Gain antenna for improving the range achieved in GSM applications and Low Power Radio at 868MHz

Ordering Information


Part No	Description
ANT-MF-YAG23	+23dB GSM YAGI Antenna to FME



+23dB Gain GSM Antenna




Mechanical Detail



+23dB Gain GSM Antenna

Performance Data



RF Solutions Ltd RECYCLING NOTICE
rfsolutions.co.uk
Meets the following EC Directives

DO NOT Discard with normal waste, please recycle.

ROHS Directive 2002/95/EC
Specifies certain limits for hazardous substances.

WEEE Directive 2002/96/EC
Waste Electrical & Electronic Equipment.
This product must be disposed of through a licensed WEEE collection point.
RF Solutions Ltd fulfils its WEEE obligations by membership of an approved compliance scheme.
Environment Agency producer registration number WEE-0B0104WV

Waste Batteries and Accumulators Directive 2006/66/EC
Where batteries are fitted, before recycling the product, the batteries must be removed and disposed of at a licensed collection point.

Whilst the information in this document is believed to be correct at the time of issue, RF Solutions Ltd does not accept any liability whatsoever for its accuracy, adequacy or completeness. No express or implied warranty or representation is given relating to the information contained in this document. RF Solutions Ltd reserves the right to make changes and improvements to the product(s) described herein without notice. Buyers and other users should determine for themselves the suitability of any such information or products for their own particular requirements or specification(s). RF Solutions Ltd shall not be liable for any loss or damage caused as a result of user's own determination of how to deploy or use RF Solutions Ltd's products. Use of RF Solutions Ltd products or components in life support and/or safety applications is not authorised except with express written approval. No licences are created, implicitly or otherwise, under any of RF Solutions Ltd's intellectual property rights. Liability for loss or damage resulting or caused by reliance on the information contained herein or from the use of the product (including liability resulting from negligence or where RF Solutions Ltd was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict RF Solutions Ltd's liability for death or personal injury resulting from its negligence.

www.rfsolutions.co.uk

RF Solutions Ltd
Unit 21 Cliffe Industrial Estate, Lewes, East Sussex, United Kingdom, BN8 6JL
Tel. Sales: +44 (0)1273 898 000 • Tech. Support: +44 (0)1273 898 007

