

Gloves - eliminates the need for wristbands. To verify path-to-ground, test resistance path using wrist strap tester. With glove on one hand touch test button with bare (ungloved) finger.

Two piece design for comfort and ambidextrous use, non-allergenic.

Can be grounded to smock or wrist strap ground cord.

A. 0.160" (4mm) stud to fit 1/8" (4mm) spring loaded medical snap.*

B. Exterior fabric is 97.9% textured polyester. Conductive fiber filament (10^7 ohms) made of carbon suffused nylon 6 monofilament spaced every 0.25 inches.


Material will not slough and can be precision cleaned for use in cleanrooms down to class 100. Can be washed multiple times in a mild detergent.

C. Inner lining constructed of Nomex makes gloves ideal for use in any process involving heat up to 200°F (93.3°C).


D. Conductive, color coded cuff (see chart below) interconnects with the conductive fiber and snap providing a true and rapid ground path.

ITEM #	SIZE	CUFF COLOR	E	F
68110	Large	Brown	6"	3 1/8"
68111	Medium	Blue	6"	2 3/4"
68112	Small	Beige	6"	2 1/2"

*Glove should be grounded to verify dissipation of static charges. Use Desco 09480 coil cord or equivalent to ground.



Made in America



Glove Laundering

For proper operation, the ESD Gloves must be laundered periodically. Woolite works well. Liquid detergents are better than dry in that there is less caking and frictional wear. Launder glove in cool or warm water, tumble dry with low heat or hang dry. Machine washing works well if using a standard house machine on gentle cycle. It is not recommended to launder these gloves in heavy industrial laundry machines as it will lead to premature wear. Gloves should be tumbled dry using low heat. DO NOT BLEACH. After laundering, verify RTT 10^7 ohms.

HOT GLOVES, STATIC DISSIPATIVE

DESCO WEST: 3651 WALNUT AVE., CHINO, CA 91710 WEB SITE: www.desco.com
 PHONE (909) 627-8178 FAX (909) 627-7449
 DESCO EAST: ONE COLGATE WAY, CANTON, MA 02021-1407
 PHONE (781) 821-8370 FAX (781) 575-0172

DRAWING NUMBER
68110

DATE:
January
2009

