DTES:	265101-01-XX.XX	REN	ISIONS	
PACKAGE CABLE ASSEMBLY IN BAG, TAG IN BAG WITH "AMPHENOL CONNEX, 265101-01-XX.XX AND DATE CODE".	DRAWING NO. REY THIRD ANGLE PROJ. 🕀 🖯 A		DATE 23-Nov-10	ECO A
CABLE ASSEMBLY TO BE 100% TESTED FOR HI-POT, CONTINUITY, SHORTS AND OPEN.				CALE 0.500
	SEE TABLE)			
(1) TYP(2) (2)			3 TYP(2)	
				- M A-
CONNEX NUMBER CABLE 265101-01-06.00 06. 265101-01-12.00 12. 265101-01-18.00 15. 265101-01-24.00 24.	000±0.250 2.000 MIN			
	000±0.250 2.000 MIN			
* ADDITIONAL LENGTHS CAN DESIRED LEGNTH IN INCHES	BE PROVIDED BY CHANGING XX.XX TO CONTACT CONNEX MARKETING FOR QUOTE			
<u>SIGN REQUIREMENTS:</u>				
FREQUENCY TO GHZ X CONTINUITY		009-954-341 A/R 3	HEAT SHRINK TUBE	BLACE
VSWR : I MAX X HI-POT : 300 VRMS		009-881-205 A/R 2	RG-316 COAX CABLE	BLACK
INS. LOSS dB MAX		262101 2 I PART NUMBER QTY ITEM	MMCX STR CRIMP PLUG DESCRIPTION	FINIS
SS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE; MATERIAL DRAY PLACE DECIMAL 3 PLACE DECIMAL ANGLES KAD				
015 (0,381 mm) ±.005 (0,127 mm) ± 1°	THIK R 23-Nov-10 INEER DATE			
ty of Amphenol Čorp, (2) must be returned upon request; and (3) are Ential and not to be disclosed to any person other than those to whom they	THIK R 23-Nov-10	MMCX STR CRIMP PLUC USING RG-316 COAX (пех
ven by Amphenol Corp., The furnishing of these drawings, specifications, or data by Amphenol Corp., or to any other person to anyone for any purpose is be regarded by implication or otherwise in any manner licensing, granting or permitting such holder or any other person to manufacture, use or sell any CAD	ROVED DATE	XX.XX" LENGTH	SCALE: 2.9:1 SHEE	TIOF
i arazare ar darian naianiad ar aibarmita. Ibai may in any may ba ralaiad ia l	FILE t folder:/Cable assembly/265101-01-	DWG SIZED	RAWING NO. 265101-01-XX.XX	
sclosed by said drawings, specifications, or other data.				