

BOS-Streamline

Handheld Enclosure System



For Finishing Services, Product Support, or to Order

Call 1-301-696-9800



BOS-Streamline

Ergonomic ABS handheld enclosure with optional impact protection seal

- 6 basic sizes
- 2 colors
- Flat or inclined design by turning the enclosure half-shells
- Lid optionally with display screen (DIS) or continuous membrane area (F)
- Versions with or without battery compartment
- Optional impact protection/decor seal in 5 colors



Color	Graphite gray, similar to RAL 7024 or light gray, similar to RAL 7035; special colors on request
Protection class	Up to IP 65/DIN EN 60529, depending on the model
Enclosure material	ABS, decor seal made of TPE; for details see Technical Information

The half-shells can be assembled in parallel or inclined form, which allows variable enclosure designs and dimensions. Smooth areas for fitting different interfaces (e.g. Sub-D connectors etc.) are provided on the front.

DIS variant: Ergonomic hand-held enclosure with display screen and separate membrane keypad area. The display screen is not printed and can be glued in position by means of the adhesive film (included) which provides IP 65 protection. Printing of the display screen is required in order to cover the adhesive film. Of course, we can supply the enclosures with an individually printed and fitted display screen.

F variant: Ergonomic handheld enclosure with continuous membrane keypad area. The symmetric geometry also allows optimal crossways use of the enclosure.

Important: All BS 202 F versions only have protection class IP 54/DIN EN 60529

Details of a mountable tip-up clip and a universal docking station (UDS) can be found in the "General Accessories" and "UDS" chapters.

