

PRODUCT DATA SHEET

Controlled Document - Engineering Drive

1530 Shield Drive Waukegan, IL 60085 Toll-Free (800) 323-9355 Fax: (847) 689-1192

PART NUMBER: 50312

DESCRIPTION: 4/3 Bus Drop Cable

CONSTRUCTION: This cable consists of three bare copper insulated conductors and three bare copper

grounds cabled and an overall jacket.

APPROVALS: UL Misc. Wire Bus Drop Cable

Construction Parameters:

Conductor 4 AWG Bare Copper

Stranding 19/.0469"
Insulation Material PVC
Insulation Thickness 0.062" Nom.
Insulated Conductor Diameter 0.359" Nom.

Ground 12 AWG Bare Copper

Ground Stranding 19/.0185" Number of Insulated Conductors + Bare Grounds 3 + 38.00" Nom. Lay Length Filler Type Polypropylene Paper Tissue Separator Jacket Material **PVC** 0.082" Nom. Jacket Thickness Overall Cable Diameter 0.939" Nom. Approximate Cable Weight 733.0 Lbs/1M' Nom.

Electrical Properties:

Temperature Rating 60°C Rated Voltage 600 V

DC Resistance per Conductor @ 20°C 0.25 Ohms/1M' Nom.
Ampacity Per NEC Table 310.16 and

Adjustment Factors per Table 310.15(B)(2)(a)

Insulation Colors Conductors: Black White Red Grounds: Bare copper

Jacket Color Gray

Legend (Indent Print) CCI ROYAL 🛬 🛬 E54868 4-3 BUS DROP CABLE TW INS. 600V (UL)

60C DRY 60C WET OUTDOOR

Ink Jet Legend XX/XX/XX (MONTH/DAY/YEAR) HH:MM (HOUR/MINUTE)

This product complies with European Directive 2011/65/EU (RoHS-2)

The customer will accept all mil lengths and +/- 10 percent of total order requested.

Material is not returnable and purchase order is non-cancelable after production has been started or special materials have been ordered. The information presented here is, to the best of our knowledge, is true and accurate. However, since conditions of use are beyond our control, all recommendations or suggestions are presented without guarantee or responsibility on our part. We disclaim all

liability in connection with the use of information contained herein or otherwise.

This specification is proprietary intellectual property of Coleman Cable. Any information contained herein shall not be disclosed to any party without written consent of Coleman Cable.

Specification Issue Date: January 8, 2014