





8 7 6 5 4 3 2 1



REVISIONS			
REV	DESCRIPTION	DATE	APPRD
A	PROPOSAL	AUG 27/09	
B	PROPOSAL	MAY 6'11	J.SI



MATERIAL:
 CAGE COPPER ALLOY.

PLATING:
 PLATING OPTION 2: 2.54 µm [100 µ"] NICKEL PLATING.
 PLATING OPTION 3: 2.54 - 7.62 µm [100 - 300 µ"]
 MATTE TIN PLATING OVER 1.27 µm [50 µ"] NICKEL

PACKAGING: TRAY PACKAGING.

TEMPERATURE RANGE: -40°C TO 85°C.

AMPHENOL PART NUMBER CONFIGURATION

U77-A1639-X001

CAGE PLATING:
 2 = NICKEL
 3 = MATTE TIN

PACKAGING:
 1 = TRAY PACKAGING



DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.


<small>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:</small> DIM: MM ANGLES: ° XX ± 0.15 ± 0.5° XXX ± 0.10	APPROVALS	DATE	Amphenol Canada Corp. TITLE 1X1 SFP+ CAGE, SPRING FINGER GASKET WITH LATCH FOR LGHT PIPE
	DRAWN: HSONG	AUG 26/09	
	DESIGNED:		
	CHECKED: J.SI	AUG 27/09	
MATERIAL AND FINISH	QA APPD:		
REP:	EAPPD:		SIZE: A3 DWG. NO.: P-U77-A1639-X001 REV.: B
CODE IDENT NO.: 03554	DWG APPD:		SCALE: 3:1 PROJECT: SHEET: 1 OF 3

8 7 6 5 4 3 2 1

REVISIONS			
REV	DESCRIPTION	DATE	APPRD
A	PROPOSAL	AUG 27/09	
B	PROPOSAL	MAY 6'11	J.SI



RECOMMENDED BEZEL DESIGN






DO NOT SCALE DRAWING
 THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

<small>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:</small> DIM: XX ± 0.15 DIM: XXX ± 0.10 MATERIAL AND FINISH: REF: CODE IDENT NO.: 03554	APPROVALS	DATE	Amphenol Canada Corp.	
	DRAWN: HSONG	AUG 26/09		
	DESIGNED:		CHECKED: J.SI	1X1 SFP+ CAGE SPRING FINGER GASKET WITH LATCH FOR LIGHT PIPE
	QA APPD:		AUG 27/09	
	EA APPD:		SIZE: A3	DWG. NO.: P-U77-A1639-X001
	DWG APPD:		SCALE: 3:1	REV: B
			PROJECT:	SHEET: 2 OF 3

- NOTES
 1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
 2. PADS AND VIAS ARE CHASSIS GROUND.
 3. THRU-HOLES PLATING OPTIONAL
 4. SEE DRAWING P-U76-A20-X00XX FOR CONNECTOR LAYOUT

- HOLE SIZES
 Ⓞ $\phi 1.55$
 ○ $\phi 1.05$
 ● $\phi 0.95$
 ⊕ $\phi 0.85$

REVISIONS			
REV	DESCRIPTION	DATE	APP'D
A	PROPOSAL	AUG 27/09	
B	PROPOSAL	MAY 6'11	J.SI



DETAIL B
SCALE 4 : 1

DETAIL C
SCALE 6 : 1

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DIMS: XX ± 0.15 XXX ± 0.10 MATERIAL AND FINISH REF CODE IDENT NO. 03554	APPROVALS	DATE	Amphenol Canada Corp.	
	DRAWN HSONG	AUG 26/09	TITLE	
	DESIGNED		1X1 SFP+ CAGE SPRING FINGER GASKET WITH LATCH FOR LIGHT PIPE	
	CHECKED J.SI	AUG 27/09	SIZE A3	DWG. NO. P-U77-A1639-X001
QA APP'D		SCALE 3:1	PROJECT	REV. B
EA APP'D				SHEET 3 OF 3