



2.4-2.5 GHZ. 4 dBi, BI-DIRECTIONAL CEILING MOUNT PANEL ANTENNA

Laird Technologies' bi-directional ceiling mount panel antenna is designed to offer systems integrators a bi-directional pattern characteristic in a low-profile, ceiling mountable package. The antenna exhibits 4 dBi of gain and can be easily and inconspicuously mounted to any ceiling surface.

The antenna housing is molded from an off-white, finely textured UV stabile thermoplastic which can be painted to custom color match various ceiling surface colors. The standard coax pigtail length is 12" and the standard connector is N female. Alternative coax cable lengths and connector types are available.

FEATURES


- High performance omni in small package
- Mounting hardware adjusts height from ceiling
- Coax pigtail length can be modified
- Additional mounting options available

MARKETS

- Office and healthcare facilities
- Transportation terminals
- Educational campuses
- Hallways and tunnels

SPECIFICATIONS	
Model Number	SQ2405DD12NF
Frequency MHz	2400 - 2500
Gain dBi	4 (Bi-directional)
VSWR	1.5:1
E-Plane (3 dB beamwidth)	58°
H-Plane (3 dB beamwidth)	87°
Polarization	Linear (vertical)
Weight lbs. (kg) (w/12" cable)	0.6 (0.27)
Mounting Style	Ceiling
Dimensions in.(cm)	6.12 x 6.12 x 1.25 (15.5x15.5x3.2)
Enclosure	PVC Acrylic
Power (Watts)	10
RF Connector	Type N, (female)
Pigtail	12"

Pattern data represents a ceiling mounted antenna



global solutions: local support™

Americas: +1.847.839.6907
IAS-AmericasEastSales@lairdtech.com

Europe: +1.32.80.7866.12
IAS-EUSales@lairdtech.com

Asia: +1.65.6.243.8022
IAS-AsiaSales@lairdtech.com

www.lairdtech.com

ANT-DS-SQ2405DD12NF 0609

Any information furnished by Laird Technologies, Inc. and its agents is believed to be accurate and reliable. Responsibility for the use and application of Laird Technologies materials rests with the end user, since Laird Technologies and its agents cannot be aware of all potential uses. Laird Technologies makes no warranties as to the fitness, merchantability or suitability of any Laird Technologies materials or products for any specific or general uses. Laird Technologies shall not be liable for incidental or consequential damages of any kind. All Laird Technologies products are sold pursuant to the Laird Technologies' Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2009 Laird Technologies, Inc. All Rights Reserved. Laird, Laird Technologies, the Laird Technologies Logo, and other marks are trade marks or registered trade marks of Laird Technologies, Inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird Technologies or any third party intellectual property rights.