


基板取付穴推奨寸法 (t=0.8)
RECOMMENDED P.C.BOARD HOLE DIM.(t=0.8)

適合ターミナル
APPLICABLE TERMINAL

注記
NOTE

- △ 適合ターミナル : 50061-8*00
50080-8*00
- △ APPLICABLE TERMINAL : 50061-8*00
50080-8*00



17.5	19.3	51022-1500	15
16.25	18.05	↑ -1400	14
13.75	15.55	-1200	12
12.5	14.3	-1100	11
11.25	13.05	-1000	10
8.75	10.55	-0800	8
6.25	8.05	-0600	6
5	6.8	-0500	5
3.75	5.55	-0400	4
2.5	4.3	↓ -0300	3
1.25	3.05	51022-0200	2
B	A	ENG. NO.	極致 CKT.NO.

材料 MATERIAL	ポリエステル、UL94V-0 POLYESTER,UL94V-0
仕上げ FINISH	—
適用電線範囲 WIRE RANGE	—
被覆外径 INS. RANGE	—

REVISED	EC NO: J2016-0794	2016/02/01
DRWN:KOMORI	2016/02/03	
CHKD:SAKIYAMA		
APPR:KASAKAWA	2016/03/01	
DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)	
REV	10 UNDER	± 0.2
	10 OVER 30 UNDER	± 0.25
	30 OVER	± 0.3
	ANGULAR	$\pm 3^\circ$
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

DIMENSION STYLE		SCALE	DESIGN UNITS
MM ONLY		10:1	METRIC
DRAWN BY	DATE	TITLE	
H.IIJIMA	1996/05/29	1.25 BOARD IN CONN HSG	
CHECKED BY	DATE		
M.FUKUSHIMA	1996/05/29		
APPROVED BY	DATE		
M.ENOMOTO	1996/05/29		
MATERIAL NO.	DOCUMENT NO.		
SEE CHART	SD-51022-001		
SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
A3			

THIRD ANGLE PROJECTION	
MOLEX INCORPORATED	
DOCUMENT NO.	SHEET NO.
SD-51022-001	1 OF 1