

FACTORY I.D. CIRCUIT NUMBERS

CIRCUIT I.D. NUMBERS

.87
(22.1)



.63
(16.1)

1.02±.03
(25.9±0.8)



OPTIONAL LOCKING RAMPS

.69
(17.6)

OPTIONAL MOUNTING EAR (PREBENT EAR SHOWN)



RECEPTACLE



FACTORY I.D.

CIRCUIT NUMBERS

CIRCUIT I.D. NUMBERS

.84
(21.4)

.63
(16.1)



.98±.03
(24.9±0.8)

0.42
(10.7)


.98
(24.8)

.74
(18.8)

OPTIONAL MOUNTING EAR (PREBENT EAR SHOWN)



PLUG



OBsolete 1360-R1* EC NO: UCP2015-1850 DRWN:JFOX 2014/11/03 CHKD:HKIPPER 2014/11/03 APPR:FSMITH 2014/11/13	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE IN/MM	SCALE 2:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
	▽=0	4 PLACES ± --- ± ---	mm INCH	DRAWN BY KBW	DATE 3/1/89	TITLE .093/(2.36) HOUSINGS PLUG AND RECEPTACLE 12 CKT, .198/(5.03)CTR.
	▽=0	3 PLACES ± --- ±.010		CHECKED BY RW	DATE 3/1/89	molex
	▽=0	2 PLACES ± 0.25 ±.014		APPROVED BY FSMITH	DATE 2014/11/13	DOCUMENT NO. SD-1360-*
0	1 PLACE ± 0.35 ± ---	0 PLACE ± --- ± ---		MATERIAL NO.		SHEET NO. 1 OF 2
0		ANGULAR ± 2°		SEE CHART		
REV		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

