





NOTES

1. 適合ハウジング: 503764シリーズ
APPLICABLE HPUSING : 503764 SERIES
2. 材質 : 銅合金
MATERIAL : COPPER ALLOY
3. メッキ仕様
PLATING
接点部: 金メッキ
バレル部: 錫メッキ
ニッケル下地メッキ
CONTACT : GOLD PLATING
BARREL : TIN PLATING
NICKEL UNDER PLATING
4. 圧着後CS-503765-001の内容を満たす事
FULFILL THE CONTENTS OF CS-503765-001
AFTER CRIMP.
5. 圧着時の注意事項としてATS-57427-000を参照
AS ATTENTION AT THE TIME OF CRIMP,
REFER TO ATS-57427-000



SECTION A-A



SECTION B-B

∅ 0.5 - 0.7 mm	AWG #28 -30	5037650098	CHAIN
INS. RANGE	WIRE RANGE	ORDER No.	FORM

RELEASED EC NO: J2014-1278 DRWN: YWAKE 2014/03/03 CHKD: KASAKAWA 2014/03/03 APPR: NUKITA 2014/03/05	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION 1.0 WORE TO BOARD CONN. R/A H=1.5MM REC CRIMP TERM molex SD-503765-001 SHEET NO. 1 OF 1
			MM ONLY		20:1	METRIC	
	10 UNDER	± 0.2	DRAWN BY	DATE	TITLE		
	10 OVER 30 UNDER	± 0.25	YWAKE	2014/03/03			
30 OVER	± 0.3	CHECKED BY	DATE				
		KASAKAWA	2014/03/03				
		APPROVED BY	DATE				
		NUKITA	2014/03/05				
		MATERIAL NO.		DOCUMENT NO.			
		SEE CHART		SD-503765-001			
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					