








MATERIAL NO.	KEY OPTION	TAIL PLATING
76105-0584	LEFT	TIN / LEAD
76105-0585	LEFT	TIN

OBSOLETE



76105-0584
LEFT KEY

(EMI FINGERS REMOVED FOR CLARITY)



DATE CODE

- NOTES:
1. MATERIALS:
 CONNECTOR HOUSING: HIGH TEMPERATURE THERMOPLASTIC
 GLASS-FILLED, UL 94V-0
 EMI HOUSING: NICKEL PLATED DIE CAST ALLOY
 COVER: STAINLESS STEEL ALLOY
 EMI GASKET: CONDUCTIVE POLYMER
 TERMINALS: COPPER ALLOY
 2. PLATING:
 CONTACT AREA: 0.76µm MIN. GOLD OVER 2.54µm MIN. NICKEL
 TIN/LEAD TAIL AREA: 0.76µm - 1.52µm TIN/LEAD (90/10)
 TIN TAIL AREA: 0.76µm - 1.52µm TIN
 OVER 1.27µm MIN NICKEL
 3. THIS CONNECTOR IS DESIGNED TO MATE WITH MOLEX CABLE SERIES TBD.
 4. PACKAGING SPECIFICATION: TRAY PACK PER PK-76105-001.
 5. MOUNTING HARDWARE REQUIRED: M2x0.4 CAP SCREWS (4)
 MOUNTING SCREW LENGTH: BOARD THICKNESS + 4mm MAX

DRAWN BY		DATE	TITLE	THIRD ANGLE PROJECTION
CHECKED BY		DA		
SIZE				