



ODD CIRCUIT CONFIGURATION SHOWN

B	8	2	2	SCREW, MOUNTING, M2.5X.450	STEEL	ZN, YELLOW CHROMATE
	7	XX	XX	SCREW, M3.5X.280	STEEL	ZN, YELLOW CHROMATE
	6	XX	XX	NUT, M3.5, HEX	STEEL	ZN, YELLOW CHROMATE
	5	XX/2	(XX-11/2	REAR ROW TERMINAL (-G30 OPT.)	PHOS. BRONZE	SELECTIVE GOLD
	4	XX/2	(XX+11/2	FRONT ROW TERMINAL (-G30 OPT.)	PHOS. BRONZE	SELECTIVE GOLD
	3	XX/2	(XX-11/2	REAR ROW TERMINAL	PHOS. BRONZE	HOT TIN DIP
	2	XX/2	(XX+11/2	FRONT ROW TERMINAL	PHOS. BRONZE	HOT TIN DIP
A	1	1	1	BARRIER	THERMOPLASTIC	BLACK
	ITEM	QTY. (EVEN NO. OF CIRCUITS)	QTY. (ODD NO. OF CIRCUITS)	DESCRIPTION	MATERIAL	FINISH

REV	QUALITY SYMBOLS	GENERAL TOLERANCES: (UNLESS SPECIFIED)		SCALE	DESIGN UNITS	DIMENSIONS:		SHT	REV	
	DESCRIPTION	4 PLACES	mm	INCH	DRAWN BY & DATE		THIRD ANGLE PROJECT			
		3 PLACES			CHECKED BY & DATE		TITLE:			
		2 PLACES			APPROVED BY & DATE					
		1 PLACE					REVISE ON CAD ONLY			
ANGULAR:				CAD FILENAME		MATERIAL NO.	DRAWING NO.	SHEET NO.		
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.							SIZE B			