

Low-Profile Network/Security Cabinet HLP Series







The new Hammond Low-Profile (HLP) network/security cabinet was designed as a hybrid networking cabinet for the communications and security professional. Our new low-profile wall mount design enables the installer to mount equipment vertically. The HLP features a rail that can pivot 180 degrees for easy equipment installation and maintenance.

Features

- Available in three (3) depths with the ability to install an additional 4U rail.
 - $\circ~$ Rack mounting units available in 4U, 6U and 8U.
 - Rails pivot 180 degrees for easy equipment mounting.
- Up to 29" (8U) usable equipment mounting depth (vertical).
- Front door features:
 - Louvered front door for equipment airflow.
 - $\circ~$ Can be installed to swing open either from left or right.
 - Locking hinged top and separately locking hinged body.
- Rear wall mounting section features:
 - 2.0", 1.5", 1.0", 11/16" and 9/16" conduit laser knock-outs on all sides.
 - Three (3) located top and bottom, two (2) located each side.
- Two (2) laser knockouts for optional fans located top and bottom.
- Generous cable management lances located on the rear section.
- Heavy duty keyhole for wall mounting.
- Suggested load capacity of 150 lb.
- Large opening in rear for cable access.

Specifications


- Body and backpan of rack shall be constructed of 16-gauge steel, rackrail shall be 12-gauge steel with punched holes for use with 10-32 clip nuts in universal EIA spacing and accommodate mounting brackets. Hinged top shall be 16-gauge steel, hinged top and door section shall be locking and is keyed the same. (Optional separately keyed lock available)
- Grounding/bonding lugs are located on top and bottom of the door and rear sections. Grounding kit sold separately GRDKIT01 or GRDKIT04
- Rugged sand-textured black powder paint (reduced fingerprints and marks).
- RoHS EU Directive 2002/95/EC compliant.
- Manufactured by an ISO 9001:2008 certified company, located in North America.

Gallery



Accessories

- <u>Grill Fan Kits</u><u>Outlet Strips</u>
 - .
- Ground Wire Kits



| Overall Dimensions | | | Mounting Dimensions | | | Rack |
|---------------------------|--------------------------|--|--|---|--|--|
| Height | Width | Depth | Height | Width | Depth | Units |
| 31.00 | 27.50 | 10.80 | 7.00 | 19.00 | 29.00 | 4U |
| 31.00 | 27.50 | 15.05 | 10.50 | 19.00 | 29.00 | 6U |
| 31.00 | 27.50 | 19.30 | 14.00 | 19.00 | 29.00 | 8U |
| | Height 31.00 31.00 | Height Width 31.00 27.50 31.00 27.50 | Height Width Depth 31.00 27.50 10.80 31.00 27.50 15.05 | HeightWidthDepthHeight31.0027.5010.807.0031.0027.5015.0510.50 | Height Width Depth Height Width 31.00 27.50 10.80 7.00 19.00 31.00 27.50 15.05 10.50 19.00 | Height Width Depth Height Width Depth 31.00 27.50 10.80 7.00 19.00 29.00 31.00 27.50 15.05 10.50 19.00 29.00 |

Data subject to change without notice.

© 2012. Hammond Manufacturing Ltd. All rights reserved.